



TOWN OF WEATHERSFIELD
SELECTBOARD

REGULAR MEETING AGENDA

TUESDAY, FEBRUARY 20, 2024 AT 6:30PM
MARTIN MEMORIAL HALL
5259 US ROUTE 5, ASCUTNEY, VT 05030

PHONE
(802) 674-2626

FAX
(802) 674-2117

ZOOM MEETING AVAILABLE
CLICK THE MOUNTAIN ON WEBSITE HOMEPAGE OR
PHONE NUMBER: (929) 205 - 6099 | MEETING ID: 542-595-4364 |
NO PARTICIPANT ID: PRESS # MEETING PASSCODE: 8021

1. Call to Order
2. Pledge of Allegiance
3. Agenda Review
4. Comments from SB, TM, and Citizens on Topics not on the Agenda
5. Review Minutes from Previous Meeting: 2/5/24
6. Town Meeting Presentation
7. Warn Public Hearing: Zoning Bylaw Amendments – Articles 2 & 7
8. Ascutney Basin Bridge – Request for Bids (RFB)
9. Town Manager Update
10. Appointments
 - a. Budget Committee (5 Vacancies)
 - b. Conservation Commission (1 Vacancy)
 - c. Energy Coordinator (1 Vacancy)
 - d. Green Up Coordinator (1 Vacancy)
 - e. Lister (2 Vacancies)
 - f. Parks and Recreation (1 Vacancy)
 - g. Veterans Memorial Committee (2 Vacancies)
 - h. Zoning Board of Adjustment (1 Vacancy)
11. Approve Warrant
12. Any other business
13. Future Agenda Items
14. Adjourn

Select Board
Martin Memorial Hall
5259 Route 5, Ascutney VT
Monday, February 5, 2024
6:30 PM
REGULAR MEETING
Draft Minutes

Select Board Members Present: Michael Todd, Kelly O’Brien, August Murray, Wendy Smith, David Fuller

Select Board Members Absent:

Brandon Gulnick, Town Manager

Others Present:

Olivia Savage	Rika Henderson (remote)	Joseph Bublat (remote)
Beth Hunton	Ryan Palmer (remote)	William Daniels
Paul Giammatteo (remote)	Maureen (remote)	
Lisa Slade (remote)	Ray Stapleton (remote)	

- 1 Call to Order**
Mr. Todd called the meeting to order at 6:31pm.
- 2 Pledge of Allegiance**
Mr. Fuller led the pledge of allegiance.
- 3 Agenda Review**
The Town Manager stated that the Highway Mileage needed to be approved. Highway Mileage would be taken up under Item 14: Any Other Business.
- 4 Comments from SB, TM, and Citizens on Topics not on the Agenda**
Mr. Fuller inquired about an exit survey and Town Meeting prep at the next meeting. Mr. Fuller inquired about the [Town Wide Yard Sale](#). Mr. Fuller pointed out some negative online content regarding TDS and the Select Board took a few moments to discuss the upgrades and work that is being done to provide faster internet service.
- 5 Review Minutes from the Previous Meeting: 1/16/24**
Additions/corrections/deletions: Item 7: check content for more information.
Motion: To approve the 1/16/24 minutes.
Made by: Ms. O’Brien **Second:** Ms. Smith
Vote: All in favor

6 RE: Project Sponsorship – 7219 RT 106

The streambank was damaged at 7219 RT 106 during the July 2023 storm. Public and private landowners were eligible for Emergency Watershead Project (EWP) assistance, but must be represented by a project sponsor. Sponsors include legal subdivisions of the State, such as a city, county, general improvement district, conservation district, or any Native American tribe or tribal organization. The Town Manager attended several site visits at this residence and reviewed the damage to the streambank.

The funding request for this project was approved. EWP program policy requires that emergency projects be completed within 220 days of being funded. A policy waiver to extend the performance time can be requested if a project cannot be completed within 220 days. An executed EWP agreement is how EWP funds are obligated for repairs. EWP cannot reimburse for work done prior to having an executed agreement. The project includes repairing the 60-foot damaged section of revetment with 12-foot-high x 4ft thick rip rap.

The project will not be eligible for EWP assistance if:

1. A repair has been completed.
2. Bids exceed the value of the property being protected. With the engineering workload brought on by the July 2023 Storms plus the programs regular farm bill commitments, NRCS cannot provide the engineering services to design the EWP projects in Weathersfield. Therefore, they ask the Town to hire a private third-party professional engineer to complete the necessary design work, construction oversight and certification necessary to implement this project.

The Town of Weathersfield may submit a request for additional TA funds if the price proposal for the engineering services exceeds the TA funds in the agreement. There is no guarantee that a request for additional funds will be approved by the National Watershed office. Total project cost is \$44,906. The NRCS share is \$33,679.50. Sponsor cost share is \$11,226.50. An agreement may be written between the Town and the Landowner that holds the landowner responsible for the \$11,226.50 share. No work can commence until there is a signed agreement between NRCS and the Town. If the Town wishes to proceed, it needs to submit an application to NRCS.

Motion: To sponsor the Emergency Watershead Project at 7219 Route 106 and to authorize the Town Manager to move forward with the project.

Made by: Mr. Fuller **Second:** Dr. Murray

Vote: All in Favor

7 Village Wastewater Committee Policy – Second Reading Continued

At the previous meeting, the Select Board had discussed taking the appointment names off the agenda while the 60% process is underway and that those individuals would still be considered for the appointment. The Select Board received a letter from those looking to be appointed to the Village Wastewater Committee (below) and had been asked to read the letter for the record ([Select Board Packet](#), pg 15). Mr. Todd read:

To: Board of Selectmen
Date: January, 31, 2024

Five months ago, in September 2023, we submitted our requests to be appointed to the Ascutney/Perkinsville wastewater study review panel. The engineers have completed the 30 percent benchmark a month ago. Still to date, no action has been taken on our appointments.

I believe from the demeanor we have seen, and the deliberate kick-the can-down-the road, the board has exhibited its wish to be the sole reviewer and authority for the study.

The latest from the board is 'let's wait until the 60 percent benchmark'. The only conclusion we can make is that the Select Board by postponing appointments, for no particular reason, would prefer the committee not exist and seeks no input from residents of the designated village centers where the improvements are needed and likely funded by federal grants.

Please remove our names from consideration for appointment to the WW study committee.

John Arrison
Annmarie Christensen
Mark Richardson

The Select Board discussed how they did postpone, but that this was done because of language in the committee policy. Mr. Todd stated that he was unsure of the need for a committee until the study is done and the Select Board agreed that interested parties should look into what the presentation and the study are saying so far. The Select Board agreed that they can't force people to stay and that they are welcomed to reapply in the future if a committee is needed.

8 Sale of 2016 Cruiser

The Town is ready to sell the 2016 Police Cruiser and has two (2) proposed options:

- 1) Sell the car through Ford of Claremont at auction. The car will be sold to the highest bidder. The total cost is \$250 for the title.
- 2) Private party sale. The Town will put a for sale sign on the car and advertise it for sale online.

Motion: To sell the 2016 Cruiser by private sale after the Police to get their equipment out and for the Town to coordinate as needed.

Made by: Mr. Fuller **Second:** Ms. Smith

Vote: All in Favor

The Select Board discussed the value of the cruiser and concluded that they should try to sell it first and if that doesn't work, they can consider options.

9 Police Officer Recruitment

The Town advertised the Police Officer vacancy in December and have not filled the vacancy to date. The Town Manager met with the Police Chief, and discussed several reasons why the position may not be appealing.

- 1) Sign on Bonus: Many surrounding towns offer sign-on bonuses. We recommend offering a \$10,000 sign-on bonus paid out either weekly or quarterly.
- 2) Vacation/Personal Time: Per the personnel policy, when any employee starts their employment with the Town, they start off with 1 week of vacation. Generally, people have 3-4 weeks of vacation in their current positions, so losing 2-3 weeks of vacation to work here is not attractive to them. Further, many communities offer 3-4 personal days annually.
- 3) Annual Salary: The average annual Police Officer salary is \$71,889.19 according to the 2023 VLCT Wage & Benefits Report. In this year's budget we are budgeted for \$62,195 and in FY25 we are budgeted for \$64,185.

The Select Board discussed at length about how Weathersfield compares to other towns in regards to benefits, vacation time, salary, sign on bonuses, and how finding quality candidates has been a challenge for all the surrounding towns and how competitive it is right now. Retention bonuses were suggested and the Select Board discussed where in the budget funding would come from and the reserve fund was suggested. The Select Board concluded that they would like to see some packages that could be offered and would like to discuss the issue further at the next meeting.

10 CLA Discussion

The Town Manager gave a brief presentation on the CLA and utilities and how that would affect the tax rate going into FY25. For more information, go to the [Vermont Department of Taxes](#) website.

The Select Board discussed how reappraisal costs money and also how when broken down by the amount of properties in Weathersfield, seems too low. The Select Board discussed how much properties seem to be worth now via Zillow and compared CLAs in other Towns in Vermont.

At the last meeting, the Select Board discussed filing a request for an appeal with the goal of getting to freeze the appraisal at the 81% level. The Town

Manager and Select Board discussed the information that would be needed to file an appeal and concluded that after that information has been gathered, they would file.

11 Town Manager Update

a. Drinking Water State Revolving Fund

In January 2023, the Town had applied for the [Drinking Water State Revolving Fund](#) (DWSRF) program, for the Ascutney project. The DWSRF program provides low-cost financing to public water systems for planning and for capital improvements that improve public health protection and facilitate compliance with the Safe Drinking Water Act. The Town Manager stated that funds have been made available for the Ascutney project and congratulated the Water District.

b. Town Meeting Presentation

The Town Manager is in the process of creating a presentation for the Town Meeting and will be available for review at the next Select Board meeting. The Town Manager pointed out how some people want all of the information presented and some people want it short and to the points so it is finding a good balance. The Select Board stated that citizens can find all of the information in the Town Report. The Select Board took some time discussing ways to make the Town Meeting more engaging.

12 Appointments

- a. Budget Committee (5 Vacancies)
- b. Conservation Commission (1 Vacancy)
- c. Energy Coordinator (1 Vacancy)
- d. Green Up Coordinator (1 Vacancy)
- e. Lister (2 Vacancies)
- f. Parks and Recreation (1 Vacancy)
- g. Veterans Memorial Committee (2 Vacancies)
- h. Zoning Board of Adjustment (2 Vacancies)
 - i. Beth Hunton

Motion: To appoint Beth Hunton to the Zoning Board of Adjustment.

Made by: Ms. O'Brien **Second:** Ms. Smith

Vote: All in Favor

13 Approve Warrant

To approve the warrants for 2/5/2024 as followed:

General Funds
Operating Expenses: \$47,749.40
Payroll: \$20,295.69

Library
Payroll: \$4,844.01
Operating Expenses: \$0

Highway Fund
Operating Expenses: \$42,583.85
Payroll: \$13,040.90

FEMA Fund: \$570.00
ARPA Fund: \$20,000.00
Reserve Fund: \$5,372.00

Solid Waste Management Fund
Operating Expenses: \$1,517.33
Payroll: \$1,891.22

Grand Totals:
Operating Expenses: \$117,792.58
Payroll: \$40,071.82

Made by: Mr. Fuller
Vote: All in Favor

Second: Ms. O'Brien

14 Any Other Business

Motion: To approve the highway certificate for year ending February 10, 2024, with a total mileage, including State Highway (31 miles), of 100.746 miles.

Made by: Ms. O'Brien **Second:** Ms. Smith

Vote: All in Favor

The Select Board, Town Manager, and Chief of Police went into Executive Session at 8:26pm.

No action was taken.

15 Future Agenda Items

Not Discussed.

16 Adjourn

Motion: To adjourn the meeting.

Made by: Dr. Murray **Second:** Mr. Todd

Vote: All in favor

The meeting adjourned at 8:57pm.

Respectfully submitted,
Nichole Gagnon

WEATHERSFIELD SELECT BOARD

Michael Todd, Chairperson

August Murray, Selector

David Fuller, Vice-Chairperson

Wendy Smith, Selector

Kelly O'Brien, Clerk



TOWN OF WEATHERSFIELD

LAND USE ADMINISTRATOR'S OFFICE

(802)674-2626

P.O. BOX 550 ASCUTNEY, VT 05030

landuse@weathersfield.org

To: Weathersfield Selectboard
From: Ryan Gumbart, Land Use Administrator
Date: February 14, 2024
Re: Proposed Bylaw Amendment – Private Airstrips and Helipads

The State of Vermont Transportation Board circulated a letter dated February 10, 2021, regarding restricted landing areas (private airstrips and helipads). It details the State's authority and permitting process for the creation of new restricted landing areas. A proposed helipad or airstrip must first receive municipal approval, but in most cases the towns have no regulatory mechanism to review such applications.

Creation of such land uses can have dramatic impacts on the neighborhood in which they are located. As recommended by the VT Transportation Board, the Weathersfield Planning Commission has prepared a zoning bylaw amendment to address private aviation. The bylaw amendment was prepared, and a hearing was held by the Planning Commission on January 8, 2024.

24 V.S.A §4384(e) requires that the amendment, hearing notice, report, and solicitation for comments be transmitted to the Planning Commission Chairs of adjoining municipalities (or Clerk), the Executive Director of the Regional Planning Commission, and the Dept. of Housing and Community Development 30 days prior to the first hearing. This was done on November 29, 2023, 40 days prior to the first and only hearing date on January 8, 2024, by certified mail and email. The hearing was warned in accordance with 24 V.S.A. §4444.

On January 8, 2024, the Planning Commission opened the hearing. The only comment received was from a community member inquiring about how existing private airstrips and helipads would be treated. The Commission searched the State registry and found no lawfully existing private restricted landing areas. The Commission unanimously voted to send the amendment to the Selectboard with Planning Commission approval. The hearing was closed.

The Selectboard must warn a hearing (one or more) to take up the proposed amendment. Once the hearing has been warned and opened, the Selectboard may make minor changes. If substantial changes are made in the concept, meaning, or extent of the proposed amendment, it shall warn a new public hearing.

The bylaw amendment shall be adopted or rejected by a majority of the members of the legislative body at a meeting which is held after final public hearing. If adopted, the amendment shall be effective 21 days after adoption, unless petitioned for popular vote. A vote by the legislative body on a bylaw amendment shall not take effect if 5% of the voters of the municipality petition for a meeting of the municipality to consider the amendment and the petition is filed within 20 days of the vote.

Thank you for your consideration.

Ryan Gumbart, Land Use Administrator



TOWN OF WEATHERSFIELD

LAND USE ADMINISTRATOR'S OFFICE

(802)674-2626

P.O. BOX 550 ASCUTNEY, VT 05030

landuse@weathersfield.org

Selectboard

NOTICE OF PUBLIC HEARING

Martin Memorial Hall – 5259 Route 5, Ascutney, Vermont 05030

Remote option – Zoom details below

Monday, March 18, 2024 – 6:30 PM

A public hearing before the Weathersfield Selectboard will be held at the Town Office in Ascutney on Monday, March 18, 2024, at 6:30 PM to consider the following amendments to the Zoning Bylaws:

Statement of Purpose

The purpose of making the proposed amendments is to prohibit the use of land for Private Airstrips and Helipads in the Town of Weathersfield. Please see the Reporting Form available at the Town Office.

Geographic Areas Affected

All lands within the Town of Weathersfield are affected by these amendments.

Sections Headings

Article 2: Zoning Districts and District Standards

Article 7: Definitions

The above amendment and Reporting Form are available for inspection at the Town Office in Ascutney. Persons wishing to be heard and participate in the hearing may do so in person or be represented by an agent or attorney. Communications about the above amendments may be filed in writing with the Land Use Administrator or at the hearing.

Remote option – Zoom link and instructions:

<https://www.weathersfieldvt.org/home/news/public-meetings-zoom>

To join any public meeting via phone, dial (929) 205-6099. When prompted, enter meeting ID 542-595-4364. You will not have a participant ID. Please press # when prompted to skip this section. The passcode for all meetings is 8021.

Town of Weathersfield Vermont
Request for Bids (RFB)
Bridge Superstructure Replacement
Bridge #63 - Ascutney Basin Road
Perkinsville (Weathersfield), VT

1. GOAL

- 1.1 The goal of this project is to remove the existing concrete bridge superstructure and replace it with new. The existing concrete superstructure is deteriorated, has been damaged by flooding, and can no longer safely carry current traffic loads. The existing substructure (abutments and wingwalls) will be retained and reused. The project includes related site work, excavation and paving.

2. SCOPE OF WORK

- 2.1 Complete the work as shown on the project plans and as included in the project specifications, bid documents and contract documents.
- 2.2 Remove and dispose of the existing bridge superstructure.
- 2.3 Preserve and reuse the existing substructure (abutments and wingwalls).
- 2.4 Design, Fabricate, Construct and Install a replacement bridge superstructure.
- 2.5 Site work, excavation, guardrail, paving, grading, erosion prevention, sediment control and traffic control.
- 2.6 A temporary bridge was installed on the southern downstream side of the Ascutney Basin bridge. The temporary bridge is to be removed by the Contractor and delivered to its owner (Daniels Construction, 4409 US 5 S, Ascutney, VT,05030) after completion of the new bridge superstructure project. The site of the temporary bridge is to be restored to original grade, and the soil seeded and mulched. Install and maintain erosion prevention measures until permanent vegetation is established at this adjacent site.
- 2.7 Provide sufficient management and technical staff to manage the project, the construction, to provide and maintain the required Contract Documents (submittals, requests for information, request for change, etc.).

3. ATTACHMENTS

- 3.1 Attachment A – Bid Form
- 3.2 Attachment B - Construction Preliminary Plans (SO1, SO2, and SO3)
- 3.3 Attachment C - SD 367.01 & 367.02
- 3.4 Attachment D - Paving Scope of Work
- 3.5 Attachment E - Project Specifications
- 3.6 Attachment F - Temporary Bridge Design

4. GENERAL CONDITIONS

- 4.1 The contractor is to ask any questions that may be material to their bid during the question period.
- 4.2 The contractor will specify in their bid submittal any items which are identified in the RFB documents as part of the project that are not included with a narrative as to why they are not included.
- 4.3 The contractor will specify the range of dates on which they expect the work will commence and be completed.

5. OTHER CONSIDERATIONS

- 5.1 It is our intent to move forward with this project as soon as possible. Preference is for construction to be completed during the 2024 construction season.

6. INDEMNIFICATION AND INSURANCE

- 6.1 The chosen contractor shall comply with the following requirements
- 6.2 The contractor agrees to defend and save harmless the Town of Weathersfield, its officers, Engineer, agents and employees against all claims, demands, payments, suits, actions, recovery, and judgments of every kind and description arising out of the performance of the Agreement, including personal injury or property damage brought or recovered against it by reason of any negligent action or omission of the consultant, its agents, or employees and with respect to the degree to which the Town is free from negligence on the part of itself, its employees and agents.
- 6.3 The contractor shall carry Comprehensive Broad Form General Liability Insurance in the amount shown below including protection for bodily injury and property damage.
- 6.4 The contractor shall also maintain Automobile Liability Insurance providing limits prescribed by the Town and Umbrella or Excess Liability Insurance in the amount shown below. The Workers' Compensation Insurance shall provide coverage pursuant to V. S. A. Title 21, Section 600 et seq.
- 6.5 The Professional Engineer retained by the contractor to complete the work identified in the Bridge Superstructure Design Performance Specification, shall provide proof of Professional Liability Insurance for the project period at the amount listed below.
- 6.6 Before the work starts, Certificates of Insurance shall be supplied to the Town by the contractor detailing the required coverage. These Certificates shall be issued by a carrier authorized to do business within the State of Vermont. The State of Vermont and the Town of Weathersfield shall also be named as an additional insured.
- 6.7 The contractor shall have and require all sub-consultants to have and maintain insurance coverage and list the Town as an additional insured in accordance with

the minimum amounts listed below. Prior to the start of any work, the Town shall be furnished with an insurance certificate as proof that coverage is in place.

- 6.7.1 General Liability-\$1,000,000 per occurrence
- 6.7.2 Product Liability-\$1,000,000 per occurrence
- 6.7.3 Property Damage-\$1,000,000 per occurrence
- 6.7.4 Personal Injury-\$1,000,000 per occurrence
- 6.7.5 Automotive Liability-\$500,000 per occurrence
- 6.7.6 Worker's Compensation-Statutory Requirement
- 6.7.7 Professional Engineering Liability Insurance – \$500,000 per occurrence.

7. INSTRUCTIONS TO BIDDER

7.1 PRE-BID CONFERENCE

There will be a Pre-Bid Conference on March 11, 2024, at 10am prevailing time at the project site. The site is located at the intersection of VT Route 106 and Ascutney Basin Road in Perkinsville, (Weathersfield) VT. This conference is strongly recommended but not mandatory for contractors that are interested in bidding on this project. Questions asked during the Pre-Bid Conference will be answered at the Pre-Bid Conference. The Town may make an attempt to write up a summary of what it believes the substantive Questions asked that are Answered at the site but does not guarantee that all Questions and Answers from the Pre-Bid Conference will be provided to bidders that are absent from the Conference.

7.2 INTERESTED BIDDERS

To be added to the plan holders list (interested bidder list / interested contractor list) so that you receive the Answers provided to the Questions received, send an email to Olivia Savage at osavage@weathersfield.org Specify that you would like to be updated on the Bridge Superstructure Replacement - Bridge #63 - Ascutney Basin Road project.

7.3 QUESTION PERIOD

The Question Period begins when the bid is advertised and ends on March 18, 2024, at 10 am. Any questions received past this date will not be answered. The purpose of the Question Period is to Answer all questions the bidders have which are material to their bids, the project documents, the bid documents, the project, the request for proposals (bids), insurance, project design, etc. The purpose of the question period deadline is to provide a reasonable period of time for questions to be asked, answered and distributed prior to the bid due date.

7.4 ANSWERS TO QUESTIONS, CHANGES, NOTES & ADDENDA

Answers to Questions received will be sent to all interested contractors that have requested to be added to the Interested Bidders listed as described in 6.2 above by March 28, 2024, at 5pm. If you have not requested to be added to this list, you will not receive these updates.

The Town may make an attempt to write up a summary of what it believes the substantive Questions asked that are Answered at the site during the Pre-Bid Conference but does not guarantee that all Questions and Answers from the Pre-Bid Conference will be provided to bidders that are absent from the Conference.

7.5 BID SUBMISSION

- 7.6 All Bids must be submitted on the provided bid form. The bid form must be filled out in its entirety and signed/dated. An incomplete bid form results in automatic disqualification.
- 7.7 If multiple bids are submitted by the same bidder, only the last one submitted prior to the bid due date and time shall be considered.
- 7.8 Bids must be sealed & submitted to the attention of the Town Manager, Brandon Gulnick. Bids may either be mailed to PO BOX 550, Ascutney, VT 05030 OR delivered in person to 5259 US Route 5, Ascutney, VT 05030. If bids are mailed, we recommend mailing them well in advance to ensure the bid is received prior to the public bid opening and bid award. Late bids will not be accepted, even in the case the envelope is postmarked prior to the due date.
- 7.9 Bids must be submitted no later than April 30, 2024, at 2 pm.

7.10 PUBLIC BID OPENING/ BID AWARD

- 7.10.1 A Public Bid Opening will take place in the Conference Room at Martin Memorial Hall on April 30, 2024, at 3:00 pm. Bids will be unsealed, read aloud, and logged into a bid opening form.
- 7.10.2 Bids will be analyzed, and a recommendation will be made by the Town Manager to the Selectboard on May 6, 2024. Contractors will be notified by May 8, 2024.

7.11 SELECTION CRITERIA

- 7.11.1 The project will be awarded to the most responsible contractor whose bid represents the best value for the Town of Weathersfield.
- 7.11.2 All bids will be received & reviewed based on the information provided on the bid form.

8. THE TOWN RESERVES THE RIGHT:

- 8.1 To accept or reject any or all bids and to accept proposals other than the lowest price, and to amend, modify, or withdraw this Request for Bids.
- 8.2 To require supplemental statements or information from proposers.
- 8.3 To extend the deadline for responses to this Request for Bids
- 8.4 To waive or correct any irregularities in bids received.
- 8.5 To negotiate separately with competing bidders.
- 8.6 To allow or disallow entry into the pre-bid conference for any potential bidder arriving after the start of the pre-bid conference.

9. CALENDAR

- 9.1 Request for Bids posted February 21,2024
- 9.2 Pre-Bid Conference on March 11, 2024, at 10am
- 9.3 Question Period ends on March 18, 2024, at 10am
- 9.4 Answers to questions, changes, notes & addenda emailed to plan holders no later than March 28, 2024, at 5pm.
- 9.5 Bids Due: April 30, 2024, at 11am
- 9.6 Public Bid Opening on April 30, 2024, at 1pm
- 9.7 Bid Review: May 6, 2024.
- 9.8 Contractor Notification: May 8, 2024

ATTACHMENT A
[BID FORM]

TOWN OF WEATHERSFIELD, VERMONT

BID FORM

Bridge Superstructure Replacement
Bridge #63 - Ascutney Basin Road
Perkinsville (Weathersfield), VT

Instructions: Please fill out this bid form in its entirety.

Bidders Name:

Address:

Email Address:

Phone Number:

Please list three similar projects your company has completed

- 1.
- 2.
- 3.

Lump Sum Project Bid	\$ _____
Estimated date that all submittals can be completed and transmitted to Owner:	_____
Estimated Project Construction Start Date:	_____
Estimated Project Completion Date:	_____



In developing this Bid, I have followed all instructions set forth by the Town of Weathersfield and hereby certify that the work to be performed will fully conform to conditions stipulated as part of the Town's request for bids. I have read the bid documents, the Answers to questions, changes, notes & addenda emailed to plan holders and agree to adhere to all of the provisions. The bid price includes any and all administrative & fuel costs.

Furthermore, I certify that the price in this bid has been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such price with any other bidder or with any competitor.


Signature of bidder: _____

Date: _____

ATTACHMENT B
[CONSTRUCTION PRELIMINARY PLANS (SO1, SO2, AND SO3)]



- DRAWING KEY - GENERAL**
- EXISTING**
- PAVED ROAD
 - GRAVEL ROAD
 - BRIDGE SUPERSTRUCTURE
 - STREAM/RIVER
 - GROUND CONTOUR
 - 25FT OFFSET FROM CL ROAD - APPROXIMATE R.O.W.
 - METAL GUARDRAIL
 - OVERHEAD POWER LINE
- PROPOSED**
- REMOVE / ITEMS TO BE REMOVED OR MODIFIED
 - BRIDGE SUPERSTRUCTURE
 - LIMITS OF PAVING - NEW/ADDITIONAL
 - METAL GUARDRAIL



HERITAGE ENGINEERING, P.C.
 728017 Route 131, Suite 414
 PO Box 300330, St. Louis, MO 63131
 www.heritage-engineering.com

HERITAGE ENGINEERING
 PROFESSIONAL ENGINEERING COMPANY - PENNSYLVANIA
 CONSTRUCTION ENGINEERING - 2300 MARKET STREET - SUITE 200


NO.	DATE	BY

NOT FOR CONSTRUCTION - PRELIMINARY PLANS
 BRIDGE SUPERSTRUCTURE REPLACEMENT
 COUNTY ROUTE 131, GREENBUSH
 TOWN OF WEST WINDSOR
 BRIDGE #103


DATE: 2023-25
 AS SHOWN: 06-27-2023

501

1



- DRAWING KEY GENERAL**
- EXISTING**
 - PAVED ROAD
 - GRAVEL ROAD
 - BRIDGE SUPERSTRUCTURE
 - STREAM/RIVER
 - GRADING CONTOURS
 - 50FT OFFSET FROM CL ROAD - APPROXIMATE
 - METAL GUARDRAIL
 - OVERHEAD POWER LINE
 - PROPOSED**
 - DEMO / ITEMS TO BE REMOVED OR MODIFIED
 - BRIDGE SUPERSTRUCTURE
 - LIMITS OF PAVING - NEW/ADDITIONAL
 - METAL GUARDRAIL




DWT			
NO.	DATE	DESCRIPTION	BY
NOT FOR CONSTRUCTION - PRELIMINARY PLANS			
PROJECT	BRIDGE SUPERSTRUCTURE REPLACEMENT OVER I-495/VA-267 INTERCHANGE AT ROUTE 267		
DATE	2023-25		
AS SHOWN	06-27-2023		
502			

DRAFT

NO.	DATE	DESCRIPTION	BY

NO.	DATE	DESCRIPTION





NO.	DATE	DESCRIPTION



HERITAGE ENGINEERING, P.C. 7280170 Road, St. Louis, MO 63130 (314) 991-3000 www.heritage-engineering.com
 CONSTRUCTION ENGINEERING - STORMWATER - URBAN DESIGN

NOT FOR CONSTRUCTION - PRELIMINARY PLANS
 BRIDGE SUPERSTRUCTURE REPLACEMENT
 TOWNSHIP OF WASHINGTON COUNTY
 BRIDGE #103

ATTACHMENT C
[SD 367.01 & 367.02]




REVISIONS	
MARCH 23, 2023	ORIGINAL APPROVAL
OTHER STANDARDS REQUIRED: G-1	


BRIDGE RAILING, GALVANIZED HDSB/ FASCIA MOUNTED/ STEEL TUBING

STRUCTURES DETAIL


SD-367.01



RAILING PLAN



RAILING ELEVATION



POST #1 HOLE DETAIL

NOTES:

1. PAYMENT FOR POST #1, HSS8x4x3/8 OFFSET BLOCKS AND TUBULAR BACKUP RAIL EXTENDING TO POST #1 OFF THE BRIDGE SHALL BE MADE UNDER BRIDGE RAILING, GALVANIZED HDSB/FASCIA MOUNTED/STEEL TUBING.
2. BLOCKOUTS SHALL BE RECESSED WOOD ONLY, STEEL OR PLASTIC BLOCKOUTS ARE NOT PERMITTED.
3. GUARDRAIL IS NOT ATTACHED TO POST NUMBERS 2-4, 6 AND 8. THERE SHALL BE NO GAP BETWEEN THE POSTS THAT ARE NOT ATTACHED AND THE RAIL OFFSET BLOCKS SHALL BE ATTACHED TO POST WITH STANDARD POST BOLT.
4. POSTS MAY BE SET IN DRILLED HOLES OR DRIVEN TO GRADE.
5. THIS RAILING HAS NOT BEEN DESIGNED TO CURRENT LOADING REQUIREMENTS OR ANALYZED TO CURRENT CRASH TEST STANDARDS.
6. THIS RAILING MAY ONLY BE USED ON BRIDGES MEETING THE FOLLOWING REQUIREMENTS:
 - i. THE STRUCTURE IS NOT ON THE NATIONAL HIGHWAY SYSTEM OR THE VERMONT STATE HIGHWAY SYSTEM.
 - ii. THE STRUCTURE REQUIRES A TL-2 SERVICE LEVEL, OR LESS, PER THE VTRANS STRUCTURES DESIGN MANUAL.
 - iii. THE ROADWAY HAS A DESIGN SPEED OF 30 MPH OR LESS
 - iv. THE ROADWAY HAS AN ADT OF 600 VEHICLES OR LESS.

REVISIONS	
MARCH 23, 2023	ORIGINAL APPROVAL
OTHER DETAILS OR STANDARDS REQUIRED: SD-367.01 AND G-1	

GUARDRAIL APPROACH SECTION,
GALVANIZED HDSB/ FASCIA
MOUNTED/ STEEL TUBING



STRUCTURES
DETAIL
SD-367.02

ATTACHMENT D
[PAVING SCOPE OF WORK]

TOWN OF WEATHERSFIELD
Paving for Ascutney Basin Bridge Project

Project Description: See attached documents for dimensions.

Route	Begin MM	End MM	Total Miles	Road Width paved (ft.)	Estimated Ton
Ascutney Basin Bridge Aprons	0			0	
<p>This project is to regrade and pave all marked areas on drawing #S02 with a base of ½” inch mix, 2.0”-inches in depth and to topcoat with ½” inch mix, 1.5” inches depth of Type III 75 Blow Marshall Bituminous Concrete Pavement or equivalent. Cut apron along route 106 and provide a lap joint. Pave driveway apron to 3’ minimum length, backup entire roadside along newly paved area, driveway, and mailbox pullouts with shoulder gravel.</p>					

Project Construction Specifications:

The provisions of the most recent version of the State of Vermont STANDARD SPECIFICATIONS FOR CONSTRUCTION to include all supplemental provisions and attachments, all contract documents specified, the most current version of MUTCD, and any other Federal, State, or Municipal applicable standards, policies and procedures shall apply to this contract.

Material items that may be included are:

1. Type III - 75 Blow Marshall bituminous concrete pavement (or equivalent) from a 2024 approved mix design and produced from a 2024 approved plant. Or equivalent
2. RS-1or RS-1H Emulsion containing current Type A and Type D certifications.
3. Shoulder/ driveway gravel

ATTACHMENT E
[PROJECT SPECIFICATIONS]

PROJECT SPECIFICATIONS

BRIDGE SUPERSTRUCTURE REPLACEMENT - BRIDGE #63 - ASCUTNEY BASIN ROAD

General Plan and Project Notes

- Design Drawings, Information Shown on the Plan and Project Information: The attached design drawings and project documents are intended to express the design intent of the project and to outline the general geometry of the structure and proposed work.
- All work shown on this plan is to be pursued in accordance with federal, state and local codes and laws.
- The contractors and individuals who work on this project shall be solely responsible for assuring that their work is in conformance with the plan, the specifications and applicable codes and regulations.
- The contractor should use the plans to accomplish the design intent and be prepared to make minor revisions to incorporate variations in the structures which will be encountered at the site. The dimensions of the existing structure are approximate. Contractor is to field measure and confirm geometry prior to the fabrication of items that will be delivered to the site. The exact shape of the cast in place concrete back walls and the concrete diaphragms between the precast double "T" sections are not known. Some variation is likely from that shown, as they were cast on top of an existing abutment during last superstructure replacement.
- If the contractor encounters existing conditions different than that shown, notify the Engineer to revise the plan and to provide approval for any proposed changes.
- In the event of a conflict or question the Engineer shall be contacted in writing immediately to resolve the issue. The owner and/or contractor shall not proceed with changes or substitutions unless approved by the Engineer in writing.
- All items to be installed in accordance with manufacturer's installation instructions, the project documents and the referenced codes and specifications. Substitutions of equivalent or better materials may be made with the Engineer's written approval. Plan drawings govern material selection. Where coating systems are applied (Primer and paint systems for example) the surface is to be prepared and the coating system applied as required by the manufacturer in their technical documents. Apply coating after fabrication is completed.
- Permits obtained for the project as of the date of construction are incorporated as a matter of record.
- The following specification is incorporated to these specifications when clarification or guidance is necessary for the project.:
 - Vermont Agency of Transportation - Vermont 2018 Standard Specifications for Construction.

Earthwork:

- The Contractor is to contact dig-safe prior to any excavation at the project site to check for and accommodate any subsurface utilities.
- For the small excavations that are to be completed at each approach area to the abutments and for the new swale, the contractor is to install and maintain erosion control measures so that no sediment laden stormwater leaves the site. Compostable filter socks are to be included within the new swale, of sufficient quantify and spacing, so that no sediment laden stormwater leaves the site. The erosion control measures are to be maintained by the Contractor until permanent vegetation is established.
- Reconstruct shoulder. For the shoulder areas shown on the plan, the existing material is to be removed for a width of 3ft, centered on the edge of pavement shown (18" each side) to a depth of at least 6" below bottom of pavement and new subbase is to be installed and compacted as described in the subbase section. After paving of the road the gravel shoulder (18" beyond the pavement) is to be filled with subbase and graded to match the pavement.

- Existing material at the bottom of any graded or excavated area (subgrade) which is below the improved work (below roads, shoulders, structures) is to be prepared by compactive effort to create an even and firm prepared surface suitable for placement of subbase. Any existing subbase material which does not appear to be at or near its maximum density shall be further compacted until it is.
- Subbase - Complete in accordance with Vtrans Standard Specifications Section 301 with materials per Section 704. This work shall consist of furnishing, placing, compacting and testing subbase on a prepared surface and for preparation of the surface below the subbase to receive this material. The material may be either subbase of gravel or subbase of crushed gravel. The subbase placement within the approach area of each abutment is critical to the long term performance of the pavement. The Contractor shall as part of this scope retain an independent testing company to complete the material testing, determine the maximum dry density of the subbase material with laboratory testing, complete the field density testing with nuclear density testing equipment during placement and to provide reports of this information to the Engineer and Owner. Compaction testing results must demonstrate that 95% of the maximum dry density has been achieved for the material placed. A record of both the materials used and the compaction testing completed shall be provided to the Engineer and Owner prior to placement of pavement on this project. Conduct and provide test results for at least 2 successful nuclear density tests for each lift of the subbase at each abutment. Conduct and provide test results for at least 4 successful nuclear density tests in the reconstructed shoulder areas beneath where the pavement will be placed. No payment will be made for subbase work and for pavement work installed over subbase that has not been tested and successfully passed those tests.
- Subbase alternate. The Contractor may use Controlled Density (Flowable) Fill for subbase.
- Payment for the required testing and reports is incidental to the earthwork and no additional payment will be made for the testing item.
- Seed and mulch all roadside disturbed areas adjacent to roadway. Any soil berm along the roadway shoulder that prevents the sheeting of water off the road must be removed.

Structural Steel, Guardrail, Guardrail Assemblies, Bolts, Anchor Bolts, Anchor Rods:

- Corrosion protection of the structural steel on this project is required. This steel is located outside in a severe exposure condition subject to regular wetting, freeze and thaw cycles and road salt application and other conditions unfavorable to steel.
 - The structural steel, guardrails, guardrail posts, guardrail assemblies, anchor bolts, bolts and all related hardware is to be hot-dip galvanized in accordance with the requirements of Vtrans sections 525, 714 and bridge railing drawings SD-367.01 and SD-367.02.
- Steel Materials:
 - The guardrails, guardrail posts, anchor bolts, bolts and all related hardware are to be provided and installed in accordance with the requirements of Vtrans sections 525, 714 and bridge railing drawings SD-367.01 and SD-367.02.

Concrete:

- Concrete is to be designed for durability as well as strength. The concrete is located outside in a severe exposure condition subject to regular wetting, freeze and thaw cycles, road salt application and other conditions unfavorable to concrete. Concrete is to be designed by the ready-mix supplier or the precast plant for these severe exposure conditions.
- Concrete that is not Prestressed Concrete is to conform to Section 501 – Performance Based Structural Concrete. Deck and Superstructure HPC Class PCD, min 28-day compressive strength 4,000psi. Substructure HPC Class PCS, min 28-day compressive strength 3,500psi.
 - The Contractor is to complete the work in conformance with all provisions of Section 501 except as modified herein.
 - The Contractor shall submit for review and approval:

- The mix designs for the proposed concrete mixes per 501.03(a) and (b). The proposed mixes are to have already been approved for a Vtrans project within the last 24 months.
 - The information required within the attached BRIDGE SUPERSTRUCTURE DESIGN PERFORMANCE SPECIFICATION.
 - No concrete shall be placed until the mix design is approved by the Engineer.
 - The Contractor shall as part of this scope retain an independent testing company to complete the material testing for the concrete. A record of both the materials used and the testing completed shall be provided to the Engineer and Owner. The Contractor shall pay for testing, arrange for testing, schedule personnel, provide assistance, equipment, materials, and curing for field sampling and testing. Conduct and provide tests results per section 501.06 parts (b), (c), (f), (g), (h) for each concrete pour. No Trial Pour per part (a) of this section is required. This testing is required for all field placed concrete. No payment will be made for concrete work installed that has not been tested and successfully passed those tests. Payment for this work is incidental to the concrete work.
- Prestressed Concrete is to conform to Section 510 – Prestressed Concrete. The Contractor is to complete the work in conformance with all provisions of Section 510 except as modified herein.
 - The Contractor shall submit for review and approval:
 - Fabrication Drawings per section 510.04.
 - The mix designs for the proposed concrete mix per 510.04(a). The proposed mix is to have already been approved for a Vtrans project within the last 24 months.
 - The items listed in 510.04 (b)-(m) when not shown on the Fabrication Drawings.
 - The information required within the attached BRIDGE SUPERSTRUCTURE DESIGN PERFORMANCE SPECIFICATION.
 - No concrete shall be placed until the listed submittals have been approved.
 - The Contractor shall as part of this scope retain an independent testing company to complete the material testing for the concrete. A record of both the materials used and the testing completed shall be provided to the Engineer and Owner. The Contractor, in coordination with the Precast Plant shall pay for testing, arrange for testing, schedule personnel, provide assistance, equipment, materials, and curing for plant sampling and testing. Conduct and provide concrete tests results per section 510.05 (b) for each concrete pour at the plant. No payment will be made for concrete work installed that has not been tested and successfully passed those tests. Payment for this work is incidental to the concrete work.
- The Superstructure top surface includes as integral the Bridge Deck. Contractor is to comply with Bridge Deck requirements. Finish and texture top surface to meet the requirements of Bridge Decks with No Asphalt Wearing Surface 501.16(a)(2).
- Precast Concrete to conform to Section 540.
- Cast in place concrete and Controlled Density (Flowable) Fill to conform to Section 541.
- Elastomeric Bearing Pads are to conform to Section 531.
- Reinforcing steel: Yield strength 60,000psi. Epoxy coated reinforcement is required.
- Drill and bond dowels, drill and grout dowels, anchor bolts, threaded rod and rebar shall be anchored into existing concrete with either:
 - Simpson Strong-Tie Set-XP anchoring adhesive when the temperature is above 55 degrees for the entire epoxy curing period and AT-XP if the temperature is below 55 degrees.
 - SikaGrout 212.
- Provide 1.5" min concrete cover over reinforcement at interior exposed sections of concrete. Provide 2" min concrete cover over reinforcement at exterior exposed sections of concrete. Provide 3" concrete cover below reinforcing steel poured against the earth.
- Concrete curing for the deck surface shall continue for at least the first 14 days after the concrete is poured. Concrete curing for other concrete surfaces shall continue for at least the first 7 days after the concrete is poured. A longer duration is suggested if possible. Curing may be completed by maintaining a

wet concrete surface with burlap and sprinklers or with the use of a spray on curing compound. Spray on curing compound is suggested as the preferred method. Any curing compound residue shall be removed before application of grout, caulking, epoxy or other coating.

- Loading of the concrete shall not occur until it has reached its specified 28 day compressive strength.
- Where new concrete joins existing concrete or bedrock the existing surfaces shall be cleaned and free of laitance, coatings, dirt and other unsound material.
- Measurement and Payment for High Performance Concrete is a lump sum for the entire superstructure complete and accepted in place. Payment will be full compensation for all work such as grouting, plans, designs, labor, tools, equipment and incidentals necessary to complete the work. Payment for concrete testing is incidental to the concrete work and no additional payment will be made for the testing item.
- Measurement and Payment for Prestressed Concrete is a lump sum for the entire superstructure complete and accepted in place. Payment will be full compensation for all work such as grouting, plans, designs, labor, tools, equipment and incidentals necessary to complete the work. Payment for concrete testing is incidental to the concrete work and no additional payment will be made for the testing item.

Work Scopes, in addition to or clarify what is shown on the plan:

- Provide and install material (nuts, bolts, connectors, nails, brackets, trim, shims, blocking, etc.) as necessary to accomplish project.
- Work items not specifically listed as Pay Items in the bid documents are to be included by the Contractor in the lump sum price for the overall project. All work necessary to complete the project is to be included in the lump sum for the project. No additional payments will be made beyond this amount.
- The existing subsurface utilities within the project site (underground utilities, phone, power, water, sewer, etc.) are not shown and have not been identified. These utilities are to be located by the contractor and protected. The contractor is to contact Dig-Safe prior to any excavation.
- Contractor is to field measure and confirm geometry prior to the fabrication of items that will be delivered to the site. The exact shape of the cast in place concrete back walls and the concrete diaphragms between the precast double "T" sections are not known. Some variation is likely from that shown, because these assemblies were cast on top of an existing abutment and shaped to fit the existing construction during last superstructure replacement.
- Compliance with any permits obtained by the Town for the project are included in the Contractor's scope.
- The replacement of the concrete superstructure requires that the existing superstructure be removed and that some of the existing substructure be removed and modified. The existing substructure (back wall, cast in place concrete diaphragm and bearings require modification to accommodate the replacement superstructure. Remove existing conflicting section of the substructure by sawcutting only. No hammering of existing substructure is permitted, as it will be reused. Disposal of the existing superstructure, related back wall concrete, pavement and surplus excavated material is to be completed by the Contractor.
- Provide temporary shoring as necessary to complete the project.
- Traffic control is required. Contractor to provide traffic control operations and management during the project period. Closure of road is required during a large portion of this project. Install and maintain a complete detour route in both directions, including signs and barricades during the entire project period. Coordinate and permit detour route with the Towns of Weathersfield, Reading, Cavendish and West Windsor and with the State of VT.
 - As of the preparation of these bid documents, the Town is contemplating the installation of a temporary bridge adjacent to this bridge under a separate contract. This bridge may be in place or it may not. The traffic control operations and maintenance during the project period is to be modified as necessary to accommodate the project with or without this temporary bridge.

- As of the preparation of these bid documents, the Town is contemplating the installation of a temporary bridge adjacent to this bridge under a separate contract. This bridge may be in place or it may not. If the bridge is in place the Contractor is to adjust their plan as needed to accommodate the temporary bridge. The temporary bridge is to be removed by the Contractor and delivered to its owner after completion of the new bridge superstructure project. The site of the temporary bridge is to be restored to original grade, and the soil seeded and mulched. Install and maintain erosion prevention measures until permanent vegetation is established at this adjacent site.
- The contractor may propose replacing more material than that shown on the plans, with equal or better new material. The plans are intended to show the minimum extent of repairs. If for example there would be an economic benefit to the owner to replace an existing assembly with new, i.e. more efficient and thus representing some cost savings, it may be proposed to do so.
- The existing guardrail that is removed is to be delivered to the Town of Weathersfield Highway Department garage for reuse on other project.
- There is no specific Contractor storage yard or staging area dedicated for this project. Unless otherwise approved in writing by the Town or by nearby property owner, all construction activities are to be contained within the approximate right-of-way shown on the plans. Where the new swale grading extends slightly outside the right-of-way, work is to be completed from the right-of-way side to minimize disturbance of the abutting property.
- Seed and mulch all disturbed grass and vegetated surfaces during and after construction.
- Install erosion control measures between disturbed areas and the river. No sediment laden stormwater may run from the construction area into the river. Compostable filter socks are to be included within the new swale, of sufficient quantify and spacing, so that no sediment laden stormwater leaves the site. The erosion control measures are to be maintained by the Contractor until permanent vegetation is established.
- The work includes designing the structure in accordance with the BRIDGE SUPERSTRUCTURE DESIGN PERFORMANCE SPECIFICATION, submittals for this design, furnishing and installing the bridge superstructure and all work shown on the plans, incorporated in these specifications and included in the project documents.

BRIDGE SUPERSTRUCTURE DESIGN PERFORMANCE SPECIFICATION:

- The design and details of the bridge superstructure are to be completed by a Professional Engineer licensed in VT, referred to hereafter as the Bridge Superstructure Designer, or Designer, who is to be experienced and competent in this type of design work. The replacement superstructure is identified on the plans as a precast pretensioned concrete slab system. It is presumed that it will be designed, delivered and installed in several sections. The design is to include the means of fastening the sections together so that they perform as a single deck unit, are water-tight at any joints between the units, are rigidly fixed together so that they cannot move separately and so there are no void spaces between the units.
- As an alternative to a pretensioned concrete system, the Designer/Contractor may propose a conventionally reinforced slab system (cast-in-place or precast). The superstructure may be delivered and installed in sections or cast-in-place using traditional formwork. Epoxy coated reinforcement is required. If installed in separate sections the alternative design is to include the means of fastening the sections together so that they perform as a single deck unit, are water-tight at any joints between the units, are rigidly fixed together so that they cannot move separately and so there are no void spaces between the units. A VT Stream Alteration Permit will be necessary for work in and around the stream if a cast-in-place approach is planned. The Contractor will be responsible for preparing documents and making application and following the requirements of this permit if it is needed.
- The superstructure is to be composed of solid rectangular concrete section(s). Voided slabs, slabs with hollow areas, or thin web sections such as those present on typical precast sections (such as the existing

double “T”) will not be accepted for this project.

- The layout of the bridge superstructure shown on the plans is intended to demonstrate the intent of the project. The Designer and Contractor are to coordinate their work and measure and as-built the dimensions of the existing structure and adjust the final structure design and construction to match.
- This project is located in an exterior environment subject to a VT climate and exposed to heavy roadside salting and freezing temperatures. Provide a system that is consistent with the site’s environmental constraints and that will provide a strength and corrosion service life of 50 years. For design purposes the top surface of the concrete will be the exposed surface during service. No waterproof membrane or topping is proposed at this time.
- The Bridge Superstructure Designer is to use their expertise to specify the layout for construction and to provide design details needed to adequately support and anchor the superstructure. The bearing area details shown on the plans are intended to provide a minimum system design for bid and construction. The Designer shall provide supplemental or different bearing area details as necessary to support and connect the superstructure to the abutments as they deem it necessary.
- The design loads for the superstructure are to be factored and combined as specified in AASHTO LRFD Bridge Design Specifications, and include at a minimum the following unfactored loads:
 - Superstructure concrete sections self-weight = as determined by design, but not less than 150 psf.
 - Deck topping, permanent dead load = 60 psf.
 - Guardrail loads as determined necessary by the Designer.
 - Vehicle Live Load – As applied in AASHTO LRFD Bridge Design Specifications:
 - Design truck = 8 KIP front axle, two rear axles 32 KIP (14ft to 30ft apart varied for max effect) with impact load allowance IM = 33% or,
 - Design tandem = Pair of 25 KIP axles spaced 4ft apart with impact load allowance IM = 33%.
 - Snow or Ice = 50 psf.
 - Floating debris impact - The superstructure is located within a floodway. Previous flooding events have demonstrated that substantial impact loads resulting from floating debris occur. While no specific load requirements are presented or required, the Designer is notified that these loads exist so that the designer does not include details which would make it vulnerable to impact and submergence, such as voided slabs and thin web sections (precast double “T” for example).
 - Earthquake EQ, as determined necessary by designer.
 - Surcharge from vehicles on the buried face of the end of the slab and soil pressure from the retained earth behind the buried face of the end of the slab as determined necessary by designer.
 - Any other loads the Designer determines necessary based on their experience and expertise.
- The Designer is to notify the Owner and the Engineer if there are any contract documents or project details which, in their professional judgement, must be changed to accommodate the successful completion of the project.
- The Designer is to be retained by the Contractor and available as needed during the project process to:
 - Review and answer requests for information from the Contractor, Engineer, and Town.
 - Design changes to the bridge superstructure made necessary due to changes during the project.
 - Review bridge superstructure specific submittals from the Contractor specific to the Designer’s scope (proposed concrete and steel materials for example) and to answer bridge superstructure specific questions from the Fabricator, Contractor, Engineer or Town.
- The following information shall be submitted for review and approval by the Owner and Engineer. Each document provided is to be reviewed and stamped by a Professional Engineer licensed in VT.
 - Design/Shop drawings for the proposed superstructure, including sufficient details for the manufacture and installation of the superstructure. Include final design loads and material specifications.
 - Specific identification of anything that differs from the plans, specifications and project documents.

THIS DOCUMENT IS COPYRIGHT © 2023 BY HERITAGE ENGINEERING, P.C.

These documents are intended for use by the Owner, Designer and Contractor during the project bid process and during the construction period on this project. All rights are reserved. No other person(s) or entity may use, reproduce, copy or transmit this document by any means, electronic, mechanical, photocopying, printing, recording or otherwise, without the prior written permission of Heritage Engineering, P.C.

ATTACHMENT F
[TEMPORARY BRIDGE DESIGN]

TEMPORARY BRIDGE DESIGN

SEPTEMBER 9, 2011



PREPARED BY:



1950 Lafayette Road, PO Box 3035
Portsmouth, New Hampshire 03802

PREPARED FOR:

Daniels Construction
4409 Route 5
Ascutney, Vermont 05030



September 9, 2011

Mr. Matt Belden
Daniels Construction
4409 Route 5
Ascutney, Vermont 05030

Re: Proposed One-Lane Temporary Bridge

Dear Matt:

Attached please find the Temporary Bridge Design package as requested.

In the event that bedrock or other unanticipated subsurface conditions or other deviations from the design are required it is requested that Daniels Construction contact Eckman Engineering such that modifications can be prepared.

We trust the attached information sufficiently details the Temporary Detour Bridge proposed and if you have any questions or require additional information please feel free to phone or email david@eckmanengineering.com.

Yours truly,

A handwritten signature in black ink that reads "David Eckman". The signature is written in a cursive style with a prominent flourish at the end.

David E. Eckman, P.E.
Principal Engineer

TEMPORARY BRIDGE
SUBMITTED FOR DOCUMENTATION

By: Daniels Construction

Address: 4409 Route 5

Ascutney, Vermont 05030

I hereby certify that I have carefully examined the attached submittal and have determined and verified all field conditions, construction criteria, materials, catalog numbers and similar data, coordinated the material contractors, and to the best of my knowledge and belief, the attached submittal is in full compliance with the contract requirements and specifications.

SIGNATURE:



Authorized Person/Daniels Construction, Date

TABLE OF CONTENTS


DANIELS CONSTRUCTION CERTIFICATION..... iii
TABLE OF CONTENTS.....iv
LIST OF FIGURES AND TABLESiv
1.0 – TEMPORARY BRIDGE - PROJECT DESCRIPTION 1
APPENDICES.....6
 APPENDIX A: SUPERSTRUCTURE ANALYSIS & DESIGN CALCULATIONS.....A
 APPENDIX B: SUBSTRUCTURE ANALYSIS & DESIGN CALCULATIONS..... B

LIST OF FIGURES AND TABLES


TEMPORARY BRIDGE DECK PLAN (DRAWING 1 of 4)2
TRANSVERSE SECTIONS & BEAM ATTACHMENT DETAILS (DRAWING 2 of 4)3
FRAMING PLAN, DIAPHRAGMS AND STIFFENER DETAILS (DRAWING 3 of 4).....4
ABUTMENT PLAN, ELEVATION, SECTION AND DETAILS (DRAWING 4 of 4).....5

1.0 – TEMPORARY BRIDGE - PROJECT DESCRIPTION

This package contains construction plans, details and supporting design calculations for a one-lane temporary bridge. The temporary bridge as designed adequately provides HS20-44 load capacity.



TEMPORARY BRIDGE DECK PLAN
SCALE: 3/8" = 1'-0"



TEMPORARY BRIDGE ELEVATION
SCALE: 3/8" = 1'-0"

PLAN SIZE:
FULL SIZE PLANS ARE 22x36
11x17 ARE APPROXIMATE HALF SCALES




PREPARED FOR: DANIELS CONSTRUCTION	PREPARED BY: ECKMAN Engineering, LLC
4409 Route 5 PO Box 246 Ascutney, Vermont 05330 Phone: (802) 674-6323 Fax: (802) 674-5346	1950 Lafayette Road PO Box 3035 Portsmouth, NH 03802 Phone: (603) 433-1354 Fax: (603) 433-2367

PROJECT: 48' ONE LANE TEMPORARY BRIDGE
PROJECT NO.: N/A


NO.	DESCRIPTION	APPD	DATE

FILE NAME: 11-185_ENG_TEMP
DRAWN BY: PAD
DESIGNED BY: GDS
BRIDGE PLAN & ELEVATION


PLOT DATE: 09/09/11
CHECKED BY: DEE
SHEET: 1 OF 4




TRANSVERSE SECTION
SCALE: 1 1/2" = 1'-0"



BEARING STIFFENER AND BOLTED CONNECTION DETAIL
SCALE: 1 1/2" = 1'-0"



BOLTED CONNECTION DIAPHRAGM
SCALE: 1 1/2" = 1'-0"



DIAPHRAGM CONNECTION PLATE WELD TERMINATION & COPING DETAILS
SCALE: 3" = 1'-0"

PLAN SIZE:
FULL SIZE PLANS ARE 22x36
11x17 ARE APPROXIMATE HALF SCALES



PREPARED FOR:
DANIELS CONSTRUCTION
4409 Route 5
PO Box 246
Acushnet, Vermont 05230
Phone: (802) 674-5346
Fax: (802) 674-5346


PREPARED BY:
ECKMAN Engineering, LLC
1950 Lafayette Road
PO Box 3035
Portsmouth, NH 03802
Phone: (603) 433-1354
Fax: (603) 433-2367

PROJECT: 48' ONE-LANE TEMPORARY BRIDGE
PROJECT NO.: N/A

NO.	DESCRIPTION	APPD.	DATE
REVISION 5			

FILE NAME: 11-185_ENG_TEMP
DRAWN BY: PAD
DESIGNED BY: GDG
TRANSVERSE SECTION & DETAILS

PLOT DATE: 09/09/11
CHECKED BY: DEE
SHEET: 2 OF 4



SUPERSTRUCTURE FRAMING PLAN
SCALE: 1/2" = 1'-0"



PREPARED FOR: DANIELS CONSTRUCTION 4409 Route 5 PO Box 246 Acushnet, Vermont 05330 Phone: (802) 674-6323 Fax: (802) 674-5346	PREPARED BY: ECKMAN Engineering, LLC 1950 Lafayette Road PO Box 3035 Portsmouth, NH 03802 Phone: (603) 433-1354 Fax: (603) 433-2367
--	---


PLAN SIZE:
 FULL SIZE PLANS ARE 22x36
 11x17 ARE APPROXIMATE HALF SCALES

PROJECT: 48' ONE-LANE TEMPORARY BRIDGE
PROJECT NO.: N/A


NO.	DESCRIPTION	APPD	DATE

FILE NAME: 11-185_ENG_TEMP
DRAWN BY: PAD
DESIGNED BY: GGG
FRAMING PLAN & DETAILS


PLOT DATE: 09/09/11
CHECKED BY: DEE
SHEET: 3 OF 4




ABUTMENT SECTION (TYP.)
SCALE: 3/4" = 1'-0"



BRIDGE SEAT DETAIL
SCALE: 1" = 1'-0"



ABUTMENT PLAN (NORTH SHOWN, SOUTH SIMILAR BUT OPPOSITE)
SCALE: 1/2" = 1'-0"



ABUTMENT ELEVATION (TYP.)
SCALE: 1/2" = 1'-0"

- SUBSTRUCTURE NOTES**
- BRIDGE ABUTMENTS TO BE CONSTRUCTED OF CONCRETE BLOCKS PLACED ON A LEVEL 6" CRUSHED STONE BASE FOUND ON A LAYER OF MED. WEIGHT FILTER FABRIC Laid ON EXCAVATED AND COMPACTED SUBGRADE.
 - CONCRETE BLOCKS SHALL COVER A MINIMUM GROUND AREA OF 3'x4' USING BLOCKS POSITIONED AS DETAILED TO TRANSFER BRIDGE LOADS TO DESIGN FOOTPRINT AREA OTHER CONFIGURATIONS WITH THE SAME OR DIFFERENT SIZE BLOCKS ARE ALLOWED TO BE USED BY THE CONTRACTOR AS LONG AS LOAD IS TRANSFERRED TO A SIMILAR FOOTING AREA.



PREPARED FOR: DANIELS CONSTRUCTION	PREPARED BY: ECKMAN Engineering, LLC
4409 Route 5 PO Box 246 Acushnet, Vermont 05630 Phone: (802) 674-6323 Fax: (802) 674-5346	1950 Lafayette Road PO Box 3035 Portsmouth, NH 03802 Phone: (603) 433-1354 Fax: (603) 433-2367

PLAN SIZE:
FULL SIZE PLANS ARE 22x36
11x17 ARE APPROXIMATE HALF SCALES

NO.	DESCRIPTION	APPD.	DATE

PROJECT: 48' ONE-LANE TEMPORARY BRIDGE
PROJECT NO: N/A

FILE NAME: 11-185_ENG_TEMP	PLOT DATE: 09/09/11
DRAWN BY: GDG	CHECKED BY: DEE
DESIGNED BY: GDG	SHEET: 4 OF 4
FRAMING PLAN & DETAILS	

APPENDICES

APPENDIX “A”

SUPERSTRUCTURE ANALYSIS & DESIGN CALCULATIONS



Eckman Engineering, LLC
 1950 Lafayette Road Suite 301, PO Box 3035
 Portsmouth, NH 03801
 (603) 433-1354 FAX (603) 433-2367

Client: Daniels Construction

PROJECT: 48' ONE-LANE TEMPORARY BRIDGE
 PROJECT NUMBER: 11-185
 CALCULATED BY: GDG DATE: 09/08/11
 REVISED BY: DATE:
 CHECKED BY: DEE DATE: 09/09/11

SUBJECT: Temporary Bridge Superstructure Design

Units

$$\text{pcf} := \frac{\text{lbf}}{\text{ft}^3} \quad \text{psf} := \frac{\text{lbf}}{\text{ft}^2}$$

References

- "AASHTO LRFD Bridge Design Specifications", 4th Ed., 2007
- "AISC Manual of Steel Construction", 3rd Ed.
- "NDS Design Values for Wood Construction Supplement", 2001 Edition

AASHTO Load Factors

Load factors from AASHTO Table 3.4.1-1 & 2.


$$\gamma_{DL} := 1.25 \quad \gamma_{LL} := 1.75$$

Bridge Properties

$$L_{\text{beam}} := 48\text{ft} + 0\text{in} \quad W_{\text{bridge}} := 14\text{ft} + 0\text{in} \quad N_b := 3$$

$$N_L := 1.0 \quad (\text{AASHTO 3.6.1.1.1})$$


$$f_y := 36\text{ksi} \quad E_s := 29000\text{ksi}$$



Live Loads

HS20 loading consists of an HS20-44 design truck.

Design Truck - HS20-44 (AASHTO 3.6.1.2.2)



$$P_{\text{front}} := 8.0\text{kip}$$

$$P_{\text{rear}} := 32.0\text{kip}$$

$IM := 0.33$ $m_f := 1.20$ (AASHTO Table 3.6.1.1.2-1)

$P_{u_front} := (1 + 0.33) \cdot m_f \cdot P_{front}$ $P_{u_front} = 12.8 \text{ kip}$

$P_{u_rear} := (1 + 0.33) \cdot m_f \cdot P_{rear}$ $P_{u_rear} = 51.1 \text{ kip}$

Bridge Deck Design: (2x6 SYP #1 Deck)

Properties

$L_{deck} := 14\text{ft}$ $L_{design} := 1\text{ft}$ $s_{beam} := 4\text{ft} + 3\text{in}$ $s_{over} := 2\text{ft} + 9\text{in}$

$\rho_{hardwood} := 55\text{pcf}$ $t_{deck} := 5.50\text{in}$ $t_{runner} := 1.50\text{in}$

Dead Load Maximum Shear, Moment, and Reactions

Timber Deck


$w_{deck} := \gamma_{DL} [\rho_{hardwood} [(t_{deck} + t_{runner}) \cdot L_{design}]]$ $w_{deck} = 0.040\text{klf}$

Apply load over entire width of bridge

Guardrail

$W_{t_rail} := 100\text{plf}$

$P_{rail} := \gamma_{DL} (W_{t_rail} \cdot L_{design})$ $P_{rail} = 0.125\text{kip}$



SUPPORT JOINT REACTIONS (in direction of rotated joint axes)

Joint	X-Reaction	Y-Reaction	Z-Moment
1	0.00000	0.00000	0.00000
2	0.00000	0.47346	0.00000
3	0.00000	-0.13691	0.00000
4	0.00000	0.47346	0.00000
5	0.00000	0.00000	0.00000

$$R_{uDL1} := 0.474\text{kip} \quad R_{uDL2} := -0.137\text{kip} \quad R_{uDL3} := 0.474\text{kip}$$

$$V_{uDLpos} := 0.239\text{kip} \quad V_{uDLneg} := 0.239\text{kip}$$

$$V_{uDL} := \max(V_{uDLpos}, V_{uDLneg}) \quad V_{uDL} = 0.239\text{kip}$$

$$M_{uDLpos} := 0.157\text{kip}\cdot\text{ft} \quad M_{uDLneg} := 0.495\text{kip}\cdot\text{ft}$$

Live Load Maximum Shear, Moment, and Reactions

Use DT Beam 1.0 to Determine LL Moments

Per AASHTO 3.6.1.2.5 Tire Contact Area, the width shall be taken as 20.0 in. and length 10.0 in.

$$W_{\text{tire}} := 20\text{in} \quad L_{\text{tire}} := 10\text{in}$$


$$P_{u_tire} := \frac{P_{u_rear}}{2} \quad P_{u_tire} = 25536\text{ lbf}$$

$$W_{\sigma} := W_{\text{tire}} + 2 \cdot (t_{\text{deck}} + t_{\text{runner}}) \quad W_{\sigma} = 34\text{ in}$$

$$L_{\sigma} := L_{\text{tire}} + 2 \cdot (t_{\text{deck}} + t_{\text{runner}}) \quad L_{\sigma} = 24\text{ in}$$

$$\sigma_{u_tire} := \frac{P_{u_tire}}{W_{\sigma} \cdot L_{\sigma}} \quad \sigma_{u_tire} = 31.3\text{ psi}$$

$$w_{\text{truck}} := \sigma_{u_tire} \cdot L_{\text{design}} \quad w_{\text{truck}} = 4.51\text{ klf}$$



SUPPORT JOINT REACTIONS (in direction of rotated joint axes)

JOINT	X-REACTION	Y-REACTION	Z-MOMENT
1	0.00000	0.00000	0.00000
2	0.00000	7.51406	0.00000
3	0.00000	10.53456	0.00000
4	0.00000	7.51406	0.00000
5	0.00000	0.00000	0.00000

$$V_{LLpos} := 6.761\text{kip} \quad V_{LLneg} := 6.761\text{kip}$$

$$M_{LLpos} := 5.005\text{kip}\cdot\text{ft} \quad M_{LLneg} := 6.409\text{kip}\cdot\text{ft}$$

$$R_{LL1} := 7.52\text{kip} \quad R_{LL2} := 10.53\text{kip} \quad R_{LL3} := 7.52\text{kip}$$

Maximum moments are larger than in AASHTO Table A4-1, use AASHTO Moments:

$$V_{LL} := \max(V_{LLpos}, V_{LLneg}) \quad V_{LL} = 6.76\text{kip}$$

$$M_{LLpos} := 4.66\text{kip}\cdot\text{ft} \quad M_{LLneg} := 2.73\text{kip}\cdot\text{ft}$$

Maximum Factored Shear, Moment, and Reaction

$$R_{u1} := R_{uDL1} + \gamma_{LL} \cdot (R_{LL1}) \quad R_{u1} = 13.63\text{kip}$$

$$R_{u2} := R_{uDL2} + \gamma_{LL} \cdot (R_{LL2}) \quad R_{u2} = 18.3\text{kip}$$

$$R_{u3} := R_{uDL3} + \gamma_{LL} \cdot (R_{LL3}) \quad R_{u3} = 13.6\text{kip}$$

$$R_u := \max(R_{u1}, R_{u2}, R_{u3}) \quad R_u = 18.3\text{kip}$$

$$V_u := V_{uDL} + \gamma_{LL} \cdot (V_{LL}) \quad V_u = 12.1\text{kip}$$

$$M_{uPos} := M_{uDLpos} + \gamma_{LL} \cdot (M_{LLpos}) \quad M_{uPos} = 8.31\text{ft kip}$$

$$M_{uNeg} := M_{uDLneg} + \gamma_{LL} \cdot (M_{LLneg}) \quad M_{uNeg} = 5.27\text{ft kip}$$

$$M_u := \max(M_{uPos}, M_{uNeg}) \quad M_u = 8.31\text{ft kip}$$

Maximum Allowable Moment Calculation

$$F_b := 1650\text{psi} \quad (\text{Table 4B of NDS Design Values for Wood Construction})$$

Removing Adjustment Factors, the Allowable Design Flexural Stress can be increased by 2.10 (See ASTM D 5456 - 99a, Table 1)

$$f_b := F_b \cdot 2.10 \quad f_b = 3465\text{psi}$$

$$c_{deck} := \frac{t_{deck}}{2} \quad c_{deck} = 2.75\text{in}$$

$$I_{deck} := \frac{1}{12} \cdot L_{design} \cdot t_{deck}^3 \quad I_{deck} = 166\text{in}^4$$

$$M_{ult} := \frac{f_b \cdot I_{deck}}{c_{deck}} \quad M_{ult} = 17.5\text{ft kip} \quad M_u = 8.31\text{ft kip}$$

$$\text{Check} := \begin{cases} \text{"Timber Deck Bending Moment OK"} & \text{if } M_{ult} > M_u \\ \text{"Timber Deck Bending Moment Not OK"} & \text{otherwise} \end{cases}$$

Check = "Timber Deck Bending Moment OK"

Maximum Allowable Shear Calculation

$$F_v := 175\text{psi} \quad (\text{Table 4B of NDS Design Values for Wood Construction})$$

Removing Adjustment Factors, the allowable Shear Stress can be increased by an applied adjustment factor of 3.15. (See ASTM D 5456 - 99a, Table 1)

$$f_v := F_v \cdot 3.15 \quad f_v = 551 \text{ psi}$$

$$y_{\text{bar}} := \frac{t_{\text{deck}}}{4} \quad y_{\text{bar}} = 1.38 \text{ in}$$

$$A_{\text{deck}} := L_{\text{design}} \cdot t_{\text{deck}} \quad A_{\text{deck}} = 66.0 \text{ in}^2$$

(See Figure 6.12b ~ reference "Design of Wood Structures - ASD, 4th Edition, McGraw Hill)

$$Q := A_{\text{deck}} \cdot y_{\text{bar}} \quad Q = 91 \text{ in}^3$$

Wood Beam




Figure 6.12b Shear stress distribution in a typical wood beam (rectangular section).

$$V_{\text{ult}} := \frac{f_v \cdot I_{\text{deck}} \cdot L_{\text{design}}}{Q} \quad V_{\text{ult}} = 12.1 \text{ kip} \quad V_u = 12.1 \text{ kip}$$

Check := $\begin{cases} \text{"Timber Deck Shear OK"} & \text{if } V_{\text{ult}} > V_u \\ \text{"Timber Deck Shear Not OK"} & \text{otherwise} \end{cases}$

Check = "Timber Deck Shear OK"

Check Bearing (Compression)

Maximum Ultimate Bearing Stress (Compression) F_c :

$$F_c := 480 \text{ psi} \quad (\text{Compression perpendicular to grain})$$

Removing Adjustment Factors, the Allowable Bearing Stress can be increased by an applied adjustment factor of 1.67. (See ASTM D 5456 - 99a, Table 1)

$$f_{c_allow} := F_c \cdot 1.67 \quad f_{c_allow} = 802 \text{ psi}$$

Bearing Case) The deck is supported by one of the 2 inner beams.

$$R_u = 18.3 \text{ kip}$$

The bearing area will be the (design length) x (W30x124 flange width)

$$b_f := 10.5\text{in}$$

$$A_b := L_{\text{design}} \cdot b_f \quad A_b = 126 \text{ in}^2$$

$$f_c := \frac{R_u}{A_b} \quad f_c = 145 \text{ psi}$$

$$\text{Check} := \begin{cases} \text{"Timber Deck Bearing OK"} & \text{if } f_c < f_{c_allow} \\ \text{"Timber Deck Bearing Not OK"} & \text{otherwise} \end{cases}$$

Check = "Timber Deck Bearing OK"

Steel Bridge Beam Design: (W30x124 A36 Steel)

<u>Properties</u>	$\phi_b := 0.90$	$f_y = 36 \text{ ksi}$	$f_u := 58 \text{ ksi}$	$f_T := 10 \text{ ksi}$	$E_s = 29000 \text{ ksi}$
	$L_{\text{beam}} = 48.0 \text{ ft}$	$L_{\text{bearing}} := 12 \text{ in}$	$L_{\text{clear}} := L_{\text{beam}} - 2L_{\text{bearing}}$	$L_{\text{clear}} = 46 \text{ ft}$	
	$w_{\text{beam}} := 124 \text{ plf}$	$d_{\text{beam}} := 30.2 \text{ in}$	$t_w := 0.585 \text{ in}$	$b_{2t} := 5.65$	$t_f := 0.930 \text{ in}$
	$A_b := 36.5 \text{ in}^2$	$S_x := 355 \text{ in}^3$	$I_x := 5360 \text{ in}^4$	$Z_x := 408 \text{ in}^3$	$h_{tw} := 46.2$
	$r_y := 2.23 \text{ in}$	$r_{ts} := 2.73 \text{ in}$	$h_o := 29.2 \text{ in}$	$J := 7.99 \text{ in}^4$	$c := 1.0$

Exterior Beam Dead Load

Beam	$w_{\text{beam}} = 124 \text{ plf}$	
Deck	$w_{\text{deck}} := \rho_{\text{hardwood}} \cdot (t_{\text{deck}} + t_{\text{runner}}) \cdot \left(s_{\text{over}} + \frac{s_{\text{beam}}}{2} \right)$	$w_{\text{deck}} = 156 \text{ plf}$
Concrete Barrier	$w_{\text{rail}} := W_{t_{\text{rail}}}$	$w_{\text{rail}} = 100 \text{ plf}$
Total	$w_{\text{uDLext}} := \gamma_{\text{DL}} \cdot (w_{\text{beam}} + w_{\text{deck}} + w_{\text{rail}})$	$w_{\text{uDLext}} = 476 \text{ plf}$

Interior Beam Dead Load

Beam	$w_{\text{beam}} = 124 \text{ plf}$	
Deck	$w_{\text{deck}} := \rho_{\text{hardwood}} \cdot (t_{\text{deck}} + t_{\text{runner}}) \cdot \left(\frac{s_{\text{beam}}}{2} + \frac{s_{\text{beam}}}{2} \right)$	$w_{\text{deck}} = 136 \text{ plf}$
Total	$w_{\text{uDLint}} := \gamma_{\text{DL}} \cdot (w_{\text{beam}} + w_{\text{deck}})$	$w_{\text{uDLint}} = 325 \text{ plf}$

Live Load Distribution Factors

Moment in Interior Beams

Use AASHTO Table 4.6.2.2.2b-1 and Table 4.6.2.2.2a-1

One Design Lane Loaded, Wood Deck on Steel Beams, See Table 4.6.2.2.2a-1

One Design Lane Loaded, Spike Laminated Deck

$$g_{\text{int_moment}} := \max \left[\left(\frac{m_f N_L}{N_b} \right), \frac{s_{\text{beam}}}{8.30 \text{ ft}} \right] \quad g_{\text{int_moment}} = 0.512$$

Moment in Exterior Beams

Use AASHTO Table 4.6.2.2d-1

One Design Lane Loaded, Wood Deck on Steel Beams

Use the Lever Rule, Sum Moments about the Interior Girder

$$d_{\text{wheel}} := 4\text{ft} + 3\text{in}$$

$$\xi_{\text{ext_moment}} := \max \left[\left(\frac{m_f N_L}{N_b} \right), \left(0.5 \cdot \frac{d_{\text{wheel}}}{s_{\text{beam}}} \right) \right]$$

$$\xi_{\text{ext_moment}} = 0.500$$

Shear in Interior Beams

Use AASHTO Table 4.6.2.2.3a-1

One Design Lane Loaded, Wood Deck on Steel Beams

Use Table 4.6.2.2.2a-1

$$\xi_{\text{int_shear}} := \xi_{\text{int_moment}} \quad \xi_{\text{int_shear}} = 0.512$$

Shear in Exterior Beams

Use AASHTO Table 4.6.2.2.3b-1

One Design Lane Loaded, Wood Deck on Steel Beams

Use Lever Rule, Same as Moment in Exterior Beams

$$\xi_{\text{ext_shear}} := \xi_{\text{ext_moment}} \quad \xi_{\text{ext_shear}} = 0.500$$

Maximum Factored Dead Load Shear, Moment, and Reaction

Exterior Beam

$$w_{uDL\text{ext}} = 476 \text{ plf}$$

$$R_{uDL\text{ext}} := \frac{w_{uDL\text{ext}} \cdot L_{\text{clear}}}{2} \quad R_{uDL\text{ext}} = 10.9 \text{ kip}$$

$$V_{uDL\text{ext}} := R_{uDL\text{ext}} \quad V_{uDL\text{ext}} = 10.9 \text{ kip}$$

$$M_{uDL\text{ext}} := \frac{w_{uDL\text{ext}} \cdot L_{\text{clear}}^2}{8} \quad M_{uDL\text{ext}} = 126 \text{ ft kip}$$

Interior Beam

$$w_{uDL\text{int}} = 325 \text{ plf}$$

$$R_{uDL\text{int}} := \frac{w_{uDL\text{int}} \cdot L_{\text{clear}}}{2} \quad R_{uDL\text{int}} = 7.5 \text{ kip}$$

$$V_{uDL\text{int}} := R_{uDL\text{int}} \quad V_{uDL\text{int}} = 7.5 \text{ kip}$$

$$M_{uDL\text{int}} := \frac{w_{uDL\text{int}} \cdot L_{\text{clear}}^2}{8} \quad M_{uDL\text{int}} = 86 \text{ ft kip}$$

Maximum Unfactored Live Load Shear, Moment, and Reaction

Truck Load

$$P_{u_front} = 12.8 \text{ kip} \quad P_{u_rear} = 51.1 \text{ kip}$$

Use QuickBridge to Determine the Maximum Shear, Moment, and Reaction

$$R_{truck} := 90.7 \text{ kip} \quad V_{truck} := 90.7 \text{ kip} \quad M_{truck} := 940.9 \text{ kip}\cdot\text{ft}$$

Maximum Factored Live Load Shear, Moment, and Reaction

Exterior Beam

$$R_{uLLext} := \gamma_{LL} \cdot g_{ext_shear} \cdot (R_{truck}) \quad R_{uLLext} = 79.4 \text{ kip}$$

$$V_{uLLext} := \gamma_{LL} \cdot g_{ext_shear} \cdot (V_{truck}) \quad V_{uLLext} = 79.4 \text{ kip}$$

$$M_{uLLext} := \gamma_{LL} \cdot g_{ext_moment} \cdot (M_{truck}) \quad M_{uLLext} = 823 \text{ ft kip}$$

Interior Beam

$$R_{uLLint} := \gamma_{LL} \cdot g_{int_shear} \cdot (R_{truck}) \quad R_{uLLint} = 81.3 \text{ kip}$$

$$V_{uLLint} := \gamma_{LL} \cdot g_{int_shear} \cdot (V_{truck}) \quad V_{uLLint} = 81.3 \text{ kip}$$

$$M_{uLLint} := \gamma_{LL} \cdot g_{int_moment} \cdot (M_{truck}) \quad M_{uLLint} = 843 \text{ ft kip}$$

Maximum Factored Total Load Shear, Moment, and Reaction

Exterior Beam

$$R_{uExt} := R_{uDLExt} + R_{uLLext} \quad R_{uExt} = 90.3 \text{ kip}$$

$$V_{uExt} := V_{uDLExt} + V_{uLLext} \quad V_{uExt} = 90.3 \text{ kip}$$

$$M_{uExt} := M_{uDLExt} + M_{uLLext} \quad M_{uExt} = 949 \text{ ft kip}$$

Interior Beam

$$R_{uInt} := R_{uDLExt} + R_{uLLint} \quad R_{uInt} = 88.8 \text{ kip}$$

$$V_{uInt} := V_{uDLExt} + V_{uLLint} \quad V_{uInt} = 88.8 \text{ kip}$$

$$M_{uInt} := M_{uDLExt} + M_{uLLint} \quad M_{uInt} = 929 \text{ ft kip}$$

Maximums

$$R_u := \max(R_{uExt}, R_{uInt}) \quad R_u = 90.3 \text{ kip}$$

$$V_u := \max(V_{uExt}, V_{uInt}) \quad V_u = 90.3 \text{ kip}$$

$$M_u := \max(M_{uExt}, M_{uInt}) \quad M_u = 949 \text{ ft kip}$$

Lateral-Torsional Buckling

$$L_b := 19\text{ft} + 6\text{in}$$

$$L_p := 1.76 \cdot r_y \cdot \sqrt{\frac{E_s}{f_y}} \quad L_p = 9.28 \text{ ft}$$

$$M_p := f_y \cdot Z_x \quad M_p = 1224 \text{ kip}\cdot\text{ft}$$

$$F_L := f_y - f_r \quad F_L = 26 \text{ ksi}$$

$$M_r := F_L \cdot S_x \quad M_r = 769 \text{ kip}\cdot\text{ft}$$

$$L_r := 1.95 \cdot r_{ts} \cdot \frac{E_s}{0.7 \cdot f_y} \cdot \sqrt{\frac{J \cdot c}{S_x \cdot h_o}} \cdot \sqrt{1 + \sqrt{1 + 6.76 \cdot \left(\frac{0.7 \cdot f_y}{E_s}\right) \cdot \left(\frac{S_x \cdot h_o}{J \cdot c}\right)}} \quad L_r = 28.1 \text{ ft}$$

Since $L_p > L_b > L_r$, the allowable moment equation is:

$$M_n = C_b \cdot \left[M_p - (M_p - 0.7 \cdot f_y \cdot S_x) \cdot \left(\frac{L_b - L_p}{L_r - L_p} \right) \right] \leq M_p$$

Check Bending Moment

$$\phi_b := 0.90 \quad M_u = 949 \text{ kip}\cdot\text{ft}$$

$$M_a := 774 \text{ kip}\cdot\text{ft} \quad (\text{Moment at } 1/4 \text{ point of unbraced length})$$

$$M_b := 949 \text{ kip}\cdot\text{ft} \quad (\text{Moment at } 1/2 \text{ point of unbraced length})$$

$$M_c := 759 \text{ kip}\cdot\text{ft} \quad (\text{Moment at } 3/4 \text{ point of unbraced length})$$

$$C_b := \frac{12.5 \cdot M_u}{2.5M_u + 3M_a + 4M_b + 3M_c} \quad C_b = 1.10$$

$$M_n := \min \left[C_b \cdot \left[M_p - (M_p - 0.7 \cdot f_y \cdot S_x) \cdot \left(\frac{L_b - L_p}{L_r - L_p} \right) \right], M_p \right] \quad M_n = 1063 \text{ kip}\cdot\text{ft}$$

$$\phi M_n := \phi_b \cdot M_n \quad \phi M_n = 956 \text{ kip}\cdot\text{ft}$$

$$\text{Check} := \begin{cases} \text{"W33x118 Beam Bending Moment OK"} & \text{if } \phi M_n > M_u \\ \text{"W33x118 Beam Bending Moment Not OK"} & \text{otherwise} \end{cases}$$

Check = "W33x118 Beam Bending Moment OK"

Check Deflection

Determine the Service Live Loads

$$P_{u_front} := P_{front} \quad P_{u_front} = 8.0 \text{ kip}$$

$$P_{u_rear} := P_{rear} \quad P_{u_rear} = 32.0 \text{ kip}$$

The maximum shear and moment occurs when the centerline of the span is equidistant from the center of gravity of the truck and the middle axle.

$$d_f := 0\text{ft} \quad d_m := 14\text{ft} \quad d_b := 28\text{ft}$$

$$d_{cg} := \frac{(P_{u_front} \cdot d_f) + (P_{u_rear} \cdot d_m) + (P_{u_rear} \cdot d_b)}{P_{u_front} + 2P_{u_rear}} \quad d_{cg} = 18.667\text{ ft}$$

$$\text{offset}_{cg} := \frac{d_{cg} - d_m}{2} \quad \text{offset}_{cg} = 2.333\text{ ft}$$

The maximum shear and moment will occur when the middle axle of the truck is 2.333ft from the centerline of the span.

$$L_m := \frac{L_{clear}}{2} - \text{offset}_{cg} \quad L_m = 20.667\text{ ft}$$

$$L_f := L_m - d_m \quad L_f = 6.667\text{ ft} \quad L_b := L_m + (d_b - d_m) \quad L_b = 34.667\text{ ft}$$

Use superposition to calculate the deflection due to each axle point load.

$$P_1 := P_{u_front} \cdot (\max(g_{ext_moment}, g_{int_moment})) \quad P_1 = 4.10\text{ kip} \quad b_{P1} := L_f \quad b_{P1} = 6.667\text{ ft}$$

$$a_{P1} := L_{clear} - b_{P1} \quad a_{P1} = 39.333\text{ ft}$$

$$\Delta_{P1} := \frac{P_1 \cdot a_{P1} \cdot b_{P1} \cdot (a_{P1} + 2 \cdot b_{P1}) \cdot \sqrt{3 \cdot a_{P1} \cdot (a_{P1} + 2 \cdot b_{P1})}}{27E_s \cdot I_x \cdot L_{clear}} \quad \Delta_{P1} = 0.040\text{ in}$$

$$P_2 := P_{u_rear} \cdot (\max(g_{ext_moment}, g_{int_moment})) \quad P_2 = 16.4\text{ kip} \quad b_{P2} := L_m \quad b_{P2} = 20.667\text{ ft}$$

$$a_{P2} := L_{clear} - b_{P2} \quad a_{P2} = 25.333\text{ ft}$$

$$\Delta_{P2} := \frac{P_2 \cdot a_{P2} \cdot b_{P2} \cdot (a_{P2} + 2 \cdot b_{P2}) \cdot \sqrt{3 \cdot a_{P2} \cdot (a_{P2} + 2 \cdot b_{P2})}}{27E_s \cdot I_x \cdot L_{clear}} \quad \Delta_{P2} = 0.364\text{ in}$$

$$P_3 := P_{u_rear} \cdot (\max(g_{ext_moment}, g_{int_moment})) \quad P_3 = 16.4\text{ kip} \quad a_{P3} := L_b \quad a_{P3} = 34.667\text{ ft}$$

$$b_{P3} := L_{clear} - a_{P3} \quad b_{P3} = 11.333\text{ ft}$$

$$\Delta_{P3} := \frac{P_3 \cdot a_{P3} \cdot b_{P3} \cdot (a_{P3} + 2 \cdot b_{P3}) \cdot \sqrt{3 \cdot a_{P3} \cdot (a_{P3} + 2 \cdot b_{P3})}}{27E_s \cdot I_x \cdot L_{clear}} \quad \Delta_{P3} = 0.255\text{ in}$$

$$\Delta_{truck} := \Delta_{P1} + \Delta_{P2} + \Delta_{P3} \quad \Delta_{truck} = 0.659\text{ in}$$

$$\text{Limit} := \frac{L_{clear}}{\Delta_{truck}} \quad \text{Limit} = 837$$

$$\text{Check} := \begin{cases} \text{"Girder Deflection OK"} & \text{if } \text{Limit} \geq 800 \\ \text{"Girder Deflection Not OK"} & \text{otherwise} \end{cases}$$

Check = "Girder Deflection OK"

Use superposition to calculate the deflection due to lane load and 25% of the truck.

$$P_1 := 0.25P_{u_front} \cdot (\max(g_{ext_moment}, g_{int_moment})) \quad P_1 = 1.02\text{ kip} \quad b_{P1} := L_f \quad b_{P1} = 6.667\text{ ft}$$

$$a_{P1} := L_{clear} - b_{P1} \quad a_{P1} = 39.333\text{ ft}$$

$$\Delta_{P1} := \frac{P_1 \cdot a_{P1} \cdot b_{P1} \cdot (a_{P1} + 2 \cdot b_{P1}) \cdot \sqrt{3 \cdot a_{P1} \cdot (a_{P1} + 2 \cdot b_{P1})}}{27 E_s \cdot I_x \cdot L_{clear}} \quad \Delta_{P1} = 0.010 \text{ in}$$

$$P_2 := 0.25 P_{u_rear} \cdot (\max(g_{ext_moment}, g_{int_moment})) \quad P_2 = 4.1 \text{ kip} \quad b_{P2} := L_m \quad b_{P2} = 20.667 \text{ ft}$$

$$a_{P2} := L_{clear} - b_{P2} \quad a_{P2} = 25.333 \text{ ft}$$

$$\Delta_{P2} := \frac{P_2 \cdot a_{P2} \cdot b_{P2} \cdot (a_{P2} + 2 \cdot b_{P2}) \cdot \sqrt{3 \cdot a_{P2} \cdot (a_{P2} + 2 \cdot b_{P2})}}{27 E_s \cdot I_x \cdot L_{clear}} \quad \Delta_{P2} = 0.091 \text{ in}$$

$$P_3 := 0.25 P_{u_rear} \cdot (\max(g_{ext_moment}, g_{int_moment})) \quad P_3 = 4.1 \text{ kip} \quad a_{P3} := L_b \quad a_{P3} = 34.667 \text{ ft}$$

$$b_{P3} := L_{clear} - a_{P3} \quad b_{P3} = 11.333 \text{ ft}$$

$$\Delta_{P3} := \frac{P_3 \cdot a_{P3} \cdot b_{P3} \cdot (a_{P3} + 2 \cdot b_{P3}) \cdot \sqrt{3 \cdot a_{P3} \cdot (a_{P3} + 2 \cdot b_{P3})}}{27 E_s \cdot I_x \cdot L_{clear}} \quad \Delta_{P3} = 0.064 \text{ in}$$

$$\Delta_{truck} := \Delta_{P1} + \Delta_{P2} + \Delta_{P3} \quad \Delta_{truck} = 0.165 \text{ in}$$

$$\text{Limit} := \frac{L_{clear}}{\Delta_{truck}} \quad \text{Limit} = 3348$$

$$\text{Check} := \begin{cases} \text{"Girder Deflection OK"} & \text{if Limit} \geq 800 \\ \text{"Girder Deflection Not OK"} & \text{otherwise} \end{cases}$$

Check = "Girder Deflection OK"

Check Shear

$$\phi_v := 0.90 \quad V_u = 90 \text{ kip}$$

$$A_w := d_{beam} \cdot t_w \quad A_w = 17.7 \text{ in}^2$$

$$C_v := \begin{cases} 1.0 & \text{if } h_{tw} \leq 2.24 \cdot \sqrt{\frac{E_s}{f_y}} \\ \text{"Calculate"} & \text{otherwise} \end{cases} \quad C_v = 1.0$$

$$V_n := 0.60 \cdot f_y \cdot A_w \cdot C_v \quad V_n = 382 \text{ kip}$$

$$\phi V_n := \phi_v \cdot V_n \quad \phi V_n = 343 \text{ kip}$$

$$\text{Check} := \begin{cases} \text{"W30x124 Beam Shear OK"} & \text{if } \phi V_n > V_u \\ \text{"W30x124 Beam Shear Not OK"} & \text{otherwise} \end{cases}$$

Check = "W30x124 Beam Shear OK"

Check the Web Local Yielding of At Reaction (AASHTO D6.5.2)

$$R_u = 90.3 \text{ kip} \quad d_{beam} = 30.2 \text{ in} \quad L_{bearing} := 12 \text{ in}$$

$$L_{\text{bearing}} < d_{\text{beam}} \quad \text{Therefore,} \quad R_n = (2.5 \cdot k + N) \cdot f_y \cdot t_w$$

$$\phi := 1.00 \quad f_y = 36 \text{ ksi} \quad E_s = 29000 \text{ ksi}$$

$$t_w = 0.585 \text{ in} \quad k := 1.58 \text{ in} \quad N := 8 \text{ in}$$

$$R_n := (2.5 \cdot k + N) \cdot f_y \cdot t_w \quad R_n = 252 \text{ kip}$$

$$\phi R_n := \phi \cdot R_n \quad \phi R_n = 252 \text{ kip}$$

$$\text{Check} := \begin{cases} \text{"Local Web Yielding OK"} & \text{if } \phi R_n \geq R_u \\ \text{"Web Stiffeners Required"} & \text{otherwise} \end{cases}$$

Check = "Local Web Yielding OK"

Check Web Crippling at Reaction (AASHTO D6.5.3)

$$\phi := 0.75 \quad \frac{d_{\text{beam}}}{2 \text{ in}} = 15.1 \quad L_{\text{bearing}} = 12 \text{ in}$$

$$L_{\text{bearing}} < \frac{d_{\text{beam}}}{2} \quad \text{Therefore}$$

$$R_n := \begin{cases} 0.40 \cdot t_w^2 \cdot \left[1 + 3 \cdot \left(\frac{N}{d_{\text{beam}}} \right) \left(\frac{t_w}{t_f} \right)^{1.5} \right] \cdot \sqrt{\frac{E_s \cdot f_y \cdot t_f}{t_w}} & \text{if } \frac{N}{d_{\text{beam}}} \leq 0.20 \\ 0.40 \cdot t_w^2 \cdot \left[1 + \left(\frac{4 \cdot N}{d_{\text{beam}}} - 0.2 \right) \cdot \left(\frac{t_w}{t_f} \right)^{1.5} \right] \cdot \sqrt{\frac{E_s \cdot f_y \cdot t_f}{t_w}} & \text{if } \frac{N}{d_{\text{beam}}} > 0.20 \end{cases}$$

$$R_n = 252 \text{ kip}$$

$$\phi R_n := \phi \cdot R_n \quad \phi R_n = 189 \text{ kip}$$

$$\text{Check} := \begin{cases} \text{"Web Crippling OK"} & \text{if } \phi R_n \geq R_u \\ \text{"Web Stiffeners Required"} & \text{otherwise} \end{cases}$$

Check = "Web Crippling OK"

Deck Analysis for Railing Impact:

Railing Load

Use AASHTO TL-2 Loading

$$P_{\text{LLrail}} := 27.0 \text{ kip} \quad H_e := 20.0 \text{ in}$$

$$M_{\text{LLrail}} := P_{\text{LLrail}} \cdot H_e \quad M_{\text{LLrail}} = 45.0 \text{ ft kip}$$

$$M_{\text{DLrail}} := \gamma_{\text{DL}} \cdot (P_{\text{rail}} \cdot s_{\text{over}}) \quad M_{\text{DLrail}} = 0.43 \text{ ft kip}$$

$$M_u := M_{\text{LLrail}} + M_{\text{DLrail}} \quad M_u = 45.4 \text{ ft kip}$$

Deck Maximum Allowable Moment Calculation

$F_b := 1650 \text{ psi}$ (Table 4B of NDS Design Values for Wood Construction)

Removing Adjustment Factors, the Allowable Design Flexural Stress can be increased by 2.10 (See ASTM D 5456 - 99a, Table 1)

$f_b := F_b \cdot 2.10$ $f_b = 3465 \text{ psi}$

$c_{\text{deck}} := \frac{t_{\text{deck}}}{2}$ $c_{\text{deck}} = 2.75 \text{ in}$ $L_{\text{deck}} := 36 \text{ in}$ (Assume post load gets distributed to at least 36 of deck)

$I_{\text{deck}} := \frac{1}{12} \cdot L_{\text{deck}} \cdot t_{\text{deck}}^3$ $I_{\text{deck}} = 499 \text{ in}^4$

$M_{\text{ult}} := \frac{f_b \cdot I_{\text{deck}}}{c_{\text{deck}}}$ $M_{\text{ult}} = 52.4 \text{ ft kip}$ $M_u = 45.4 \text{ ft kip}$

Check := $\begin{cases} \text{"Deck Bending Moment Due to Rail Impact OK"} & \text{if } M_{\text{ult}} > M_u \\ \text{"Deck Bending Moment Due to Rail Impact Not OK"} & \text{otherwise} \end{cases}$

Check = "Deck Bending Moment Due to Rail Impact OK"

Truck definition

Number of axles

◀ | ▶ **3**

Axle No	X	W
1	0.0	12.8
2	14.0	51.1
3	28.0	51.1

X is the coordinate and
W the weight of the axle
Coordinate of axle 1 is 0

Bridge geometry

Number of span

◀ ▶

Span No	L	q	div
1	48	0	20

L is the length,
q uniform load and
div number of divisions
on a particular span
L and div must be > 0

Results

X	Vmax	Mmin	Mmax	No	Rmin	Rmax
0.00	90.7	0.0	0.0	1	0.0	90.7
2.40	85.0	0.0	203.9	2	0.0	83.0
4.80	79.2	0.0	380.2			
7.20	73.5	0.0	528.9			
9.60	67.7	0.0	650.0			
12.00	62.0	0.0	743.6			
14.40	56.2	0.0	810.5			
16.80	50.5	0.0	862.6			
19.20	44.7	0.0	887.1			
21.60	39.6	0.0	891.8			
24.00	34.5	0.0	930.1			
26.40	34.5	0.0	940.9			
28.80	40.2	0.0	924.0			
31.20	46.0	0.0	879.5			
33.60	51.7	0.0	807.4			
36.00	57.5	0.0	730.7			
38.40	62.6	0.0	629.6			
40.80	67.7	0.0	503.8			
43.20	72.8	0.0	353.6			
45.60	77.9	0.0	187.0			
48.00	83.0	0.0	0.0			

APPENDIX “B”

SUBSTRUCTURE ANALYSIS & DESIGN CALCULATIONS



Eckman Engineering, LLC
 1950 Lafayette Road Suite 301, PO Box 3035
 Portsmouth, NH 03801
 (603) 433-1354 FAX (603) 433-2367

Client: Daniels Construction

PROJECT: 48' ONE-LANE TEMPORARY BRIDGE
 PROJECT NUMBER: 10-134
 CALCULATED BY: GDG DATE: 09/09/11
 REVISED BY: DATE:
 CHECKED BY: DEE DATE: 09/09/11

SUBJECT: Temporary Bridge Substructure Design

Units


$$\text{psf} := \frac{\text{lbf}}{\text{ft}^2} \quad \text{ksf} := \frac{\text{kip}}{\text{ft}^2}$$

References

"Principles of Foundation Engineering", 5th Ed., Braja M. Das.
 "AASHTO LRFD Bridge Design Specifications", 4th Ed., 2007

AASHTO Load Factors

$$\begin{aligned} \gamma_{DL} &:= 1.25 & \gamma_{LL} &:= 1.75 & \gamma_{WS} &:= 1.40 \\ \gamma_{BR} &:= 1.75 & \gamma_{TU} &:= 0.50 & IM &:= 0.33 \\ \text{One Design Lane} & & N_{u_{lanes}} &:= 1.0 & m_f &:= 1.20 \end{aligned}$$



Abutment Design

Given Information

$$\begin{aligned} \gamma_{soil} &:= 125\text{pcf} & \gamma_{sat} &:= 131\text{pcf} & \phi &:= 25\text{deg} & c &:= 0\text{psf} \\ \gamma_{conc} &:= 150\text{pcf} & \gamma_{steel} &:= 490\text{pcf} \end{aligned}$$

Assumed sand or gravel soil conditions, conservatively assume $\phi = 25$ deg. If clay-like conditions exist contact Eckman Engineering to reevaluate bearing capacity.

Terzaghi's Bearing Capacity

$$B_{base} := 3\text{ft (footing width)} \quad D_f := 4\text{ft (depth to bottom of footing)}$$

Get Bearing Capacity Factors from Table 3.1 in Das.

$$N_c := 25.13 \quad N_q := 12.72 \quad N_\gamma := 8.34$$

$$q := D_f \gamma_{sat} \quad q = 524 \text{ psf}$$

$$q_{u_bearing} := (c \cdot N_c) + (q \cdot N_q) + \left(\frac{1}{2} \cdot \gamma_{soil} \cdot B_{base} \cdot N_\gamma \right) \quad q_{u_bearing} = 8229 \text{ psf}$$

Maximum Soil Capacity

$$SF_{soil} := 1.5 \quad q_u := q_{u_bearing} \quad q_u = 8229 \text{ psf}$$

$$q_{safe} := \frac{q_u}{SF_{soil}} \quad q_{safe} = 5486 \text{ psf}$$

Dead Loads

Steel Beams

Going to use W30x124 A36 Gr. 36 Steel Beams.

$$N_{\text{beam}} := 3 \quad L_{\text{beam}} := 48\text{ft} + 0\text{in} \quad w_{\text{beam}} := 124\text{plf} \quad s_{\text{beam}} := 4\text{ft} + 3\text{in}$$

$$\text{Load}_{\text{beam}} := N_{\text{beam}} \cdot (L_{\text{beam}} \cdot w_{\text{beam}}) \quad \text{Load}_{\text{beam}} = 17.9 \text{ kip}$$

Timber Deck (Nail Laminated Deck and Runners)

$$t_{\text{deck}} := 7.00\text{in} \quad \gamma_{\text{wood}} := 55\text{pcf} \quad W_{\text{deck}} := 14\text{ft}$$

$$\text{Load}_{\text{deck}} := \gamma_{\text{wood}} \cdot (t_{\text{deck}} \cdot L_{\text{beam}} \cdot W_{\text{deck}}) \quad \text{Load}_{\text{deck}} = 21.6 \text{ kip}$$

Diaphragms

$$\text{Using MC18x42.7} \quad w_{\text{ch}} := 42.7\text{plf} \quad L_{\text{diaph}} := 4\text{ft} + 0\text{in}$$

$$N_{\text{diaph}} := 5 \quad \text{Load}_{\text{diaph}} := N_{\text{diaph}} \cdot L_{\text{diaph}} \cdot w_{\text{ch}} \quad \text{Load}_{\text{diaph}} = 0.85 \text{ kip}$$

Railing System

$$W_{\text{rail}} := 80\text{plf} \quad (\text{from superstructure calculations})$$

$$\text{Load}_{\text{railing}} := L_{\text{beam}} \cdot W_{\text{rail}} \quad \text{Load}_{\text{railing}} = 3.84 \text{ kip}$$

Total Dead Load

$$DL := \text{Load}_{\text{beam}} + \text{Load}_{\text{deck}} + \text{Load}_{\text{diaph}} + \text{Load}_{\text{railing}} \quad DL = 44.1 \text{ kip}$$

$$DL_u := \gamma_{DL} \cdot DL \quad DL_u = 55.1 \text{ kip}$$

Live Loads

Per AASHTO 3.6.1.2.2, the design truck is an HS20-44.

$$P_{\text{front}} := 8000\text{lbf} \quad P_{\text{rear}} := 32000\text{lbf}$$

$$LL_{\text{truck}} := P_{\text{front}} + 2 \cdot P_{\text{rear}} \quad LL_{\text{truck}} = 72.0 \text{ kip}$$

Total Live Load

$$LL := LL_{\text{truck}} \quad LL = 72.0 \text{ kip}$$

$$LL_u := \gamma_{LL} \cdot m_f \cdot (1 + IM) \cdot LL \quad LL_u = 201 \text{ kip}$$

Maximum Bearing Pressure Applied

$$P_u := DL_u + LL_u \quad P_u = 256 \text{ kip} \quad N_{\text{abut}} := 2$$

$$P_{u_abut} := \frac{P_u}{N_{\text{abut}}} \quad P_{u_abut} = 128 \text{ kip}$$

Abutments will be 1 level of concrete waste blocks. Blocks are 3'x6' x 18".
Layer 1 will be 3'x18'

$$d_{\text{block}} := 1.5\text{ft} \quad B_1 := 3\text{ft} \quad W_1 := 18\text{ft}$$

$$V_1 := d_{\text{block}} \cdot B_1 \cdot W_1 \quad V_1 = 81 \text{ ft}^3$$

$$V_{\text{abut}} := V_1 \quad V_{\text{abut}} = 81 \text{ ft}^3$$

$$\text{Load}_{\text{abut}} := \gamma_{\text{conc}} \cdot V_{\text{abut}} \quad \text{Load}_{\text{abut}} = 12.2 \text{ kip}$$

$$\text{Total Applied Load to the Ground} \quad P_{\text{max}} := P_{u_{\text{abut}}} + (\gamma_{\text{DL}} \cdot \text{Load}_{\text{abut}}) \quad P_{\text{max}} = 143 \text{ kip}$$

$$q_{\text{max}} := \frac{P_{\text{max}}}{B_1 \cdot W_1} \quad q_{\text{max}} = 2654 \text{ psf} \quad q_{\text{safe}} = 5486 \text{ psf}$$

$$\text{Check} := \begin{cases} \text{"Bearing Pressure OK"} & \text{if } q_{\text{max}} < q_{\text{safe}} \\ \text{"Bearing Pressure Not OK"} & \text{otherwise} \end{cases} \quad \text{Check} = \text{"Bearing Pressure OK"}$$

Meeting date February 20, 2024
 AP warrant date 02/20/24
 Payroll warrant date 1 02/01/24
 Payroll warrant date 2 02/08/24
 Payroll warrant date 3 02/15/24



TOWN OF WEATHERSFIELD, VERMONT

Warrants for Meeting of February 20, 2024

	Check Date	Payroll	Operating Expenses
General Fund			
	02/01/24	\$7,384.33	
	02/08/24	\$7,692.32	
	02/15/24	\$9,763.91	
AP	2/20/2024		\$28,066.26
Total		\$24,840.56	\$28,066.26
Highway Fund			
	02/01/24	\$6,566.89	
	02/08/24	\$5,014.27	
	02/15/24	\$4,604.63	
AP	2/20/2024		\$22,245.54
Total		\$16,185.79	\$22,245.54
Solid Waste Mgmt Fund			
	02/01/24	\$950.48	
	02/08/24	\$955.62	
	02/15/24	\$954.93	
AP	2/20/2024		\$655.29
Total		\$2,861.03	\$655.29
Library			
	02/01/24	\$1,181.23	
	02/08/24	\$1,181.23	
	02/15/24	\$1,181.23	
Total		\$3,543.69	
Reserve Fund		(AVFD Tanker)	\$147,341.00
FEMA Fund		(Temp Bridge)	\$71,000.00
Grant Fund			\$7,926.36
Total			\$226,267.36
Grand Totals		\$47,431.07	\$277,234.45

Selector

To the Treasurer of the Town of Weathersfield, we hereby certify that there is due to the several persons whose names are listed hereon the sum against each name and that there are good and sufficient vouchers supporting the payments aggregating \$324,665.52. Let this be your order for the payments of these amounts.

Vendor	Invoice Date	Invoice Description	Invoice Number	Account	Amount Paid	Check Number	Check Date
ALLA	02/01/24	Schoolhouse 1/17-2/13/24	8419	11-7-302-38.85 Town Parks	185.00	227664	02/16/24
APEX	02/01/24	Renew - Listers Software	326001	11-7-104-25.00 Listers-Software agree	470.00	227665	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	11-7-101-14.10 GF-Insurance Benefits	783.40	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	11-7-201-14.10 Police-Insurance Benefits	1511.95	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	11-7-101-14.10 GF-Insurance Benefits	1566.78	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	11-7-201-14.10 Police-Insurance Benefits	-2201.33	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	11-7-201-14.10 Police-Insurance Benefits	-2559.69	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	11-7-201-14.10 Police-Insurance Benefits	497.07	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	11-2-011-14.10 Insurance Prem Liability	2079.30	227670	02/16/24
BIBENS	02/06/24	Supplies - WWVFD	552851	11-7-207-60.00 Repairs - non-Vehicle	147.11	227669	02/16/24
BIBENS	02/07/24	Credit Memo - WWVF	552923	11-7-207-60.00 Repairs - non-Vehicle	-27.98	227669	02/16/24
CAI TECHN	02/02/24	AXISGIS SUPPORT SVC	19045	11-7-104-25.00 Listers-Software agree	500.00	227672	02/16/24
CAI TECHN	02/02/24	WEBGIS Support	19046	11-7-104-25.00 Listers-Software agree	3000.00	227672	02/16/24
CANON	02/01/24	1/20-2/19/24 Copier	31989746	11-7-103-18.00 Copier Lease	49.00	227673	02/16/24
CANON	02/16/24	2489026 Final Payment	6002313184	11-7-103-18.00 Copier Lease	132.59	227673	02/16/24
CHOICECAR	02/13/24	2/1/24-2/29/24	IN3020666	11-7-101-14.30 GF-COBRA Admin fee	47.63 E	2185	02/20/24
COMCASTBU	02/08/24	8773501440106826 Internet	FEB0106826	11-7-101-31.00 GF-Telephone	276.02	227678	02/16/24
COMCSTWWF	02/01/24	WWVFD 8773501440009194	9194-02.24	11-7-207-31.00 Telephone & Internet	149.32	227679	02/16/24
COMPETIT	02/01/24	Managed Services-February	CW-58449	11-7-101-25.05 IT Services - CCI	572.16	227675	02/16/24
COMPETIT	02/01/24	Managed Services-February	CW-58449	11-7-103-25.05 IT Services - CCI	231.51	227675	02/16/24
COMPETIT	02/01/24	Managed Services-February	CW-58449	11-7-102-25.05 IT Services - CCI	231.51	227675	02/16/24
COMPETIT	02/01/24	Managed Services-February	CW-58449	11-7-104-25.05 IT Services - CCI	340.25	227675	02/16/24
COMPETIT	02/01/24	Managed Services-February	CW-58449	11-7-105-25.05 IT Services - CCI	116.22	227675	02/16/24
COMPETIT	02/01/24	Managed Services-February	CW-58449	11-7-201-25.05 IT Services - CCI	324.90	227675	02/16/24
COMPETIT	02/01/24	Managed Services-February	CW-58449	11-7-206-25.05 IT Services - CCI	22.83	227675	02/16/24

Vendor	Invoice Date	Invoice Description	Account	Amount Paid	Check Number	Check Date
COMPETIT	02/01/24	CCI MANAGED SERVICES Managed Services-February CW-58449	11-7-207-25.05 IT Services - CCI	116.22	227675	02/16/24
COMPETIT	02/01/24	CCI MANAGED SERVICES Managed Services-February CW-58449	11-7-601-25.05 IT Services - CCI	115.92	227675	02/16/24
COMPETIT	02/01/24	CCI MANAGED SERVICES Managed Services-February CW-58449	11-7-101-25.05 IT Services - CCI	185.16	227675	02/16/24
COUNTRYL	02/13/24	COUNTRYSIDE LOCK & ALARMS Monitoring 3/1/24-2/28/25 206455	11-7-207-60.00 Repairs - non-Vechicle	220.00	227680	02/16/24
DAUPHINT	02/13/24	DAUPHIN TRACY Paint for WWVFD REIMB2.20.24	11-7-207-20.00 Supplies	42.34	227681	02/16/24
DOLITL	02/14/24	DOOLITTLE'S PRINTSERVE, I Business Card - ADMIN E	11-7-101-20.00 GF-Office Supplies	49.67	227683	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	11-7-102-14.10 Finance-Insurance Benefit	25.53	227686	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	11-7-103-14.10 Insurance Benefits	8.70	227686	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	11-7-201-14.10 Police-Insurance Benefits	8.70	227686	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	11-7-601-14.10 Library-Insurance Benft	12.76	227686	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	11-7-101-14.10 GF-Insurance Benefits	4.61	227686	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	11-7-101-14.10 GF-Insurance Benefits	8.70	227686	02/16/24
FARNSWORT	02/01/24	INTENTIONAL CLEANING MMH 2/1/24 317	11-7-301-40.00 Custodial Services	100.00	227694	02/16/24
FARNSWORT	02/01/24	INTENTIONAL CLEANING MMH - 2/8 1879 - 2/11 318	11-7-301-40.00 Custodial Services	100.00	227694	02/16/24
FARNSWORT	02/01/24	INTENTIONAL CLEANING MMH - 2/8 1879 - 2/11 318	11-7-303-40.00 Custodial Services	50.00	227694	02/16/24
FARNSWORT	02/01/24	INTENTIONAL CLEANING MMH 2/15/24 319	11-7-301-40.00 Custodial Services	100.00	227694	02/16/24
FARNSWORT	02/01/24	INTENTIONAL CLEANING MMH - 2/21 1879 - 2/27 320	11-7-301-40.00 Custodial Services	100.00	227694	02/16/24
FARNSWORT	02/01/24	INTENTIONAL CLEANING MMH - 2/21 1879 - 2/27 320	11-7-303-40.00 Custodial Services	50.00	227694	02/16/24
FARNSWORT	02/01/24	INTENTIONAL CLEANING MMH 2/29/24 321	11-7-301-40.00 Custodial Services	100.00	227694	02/16/24
FORDCL	02/01/24	FORD OF CLAREMONT Service '21 Dodge Chgr 69876	11-7-201-52.00 Repairs and Supplies	405.39	227687	02/16/24
FRAZERHMP	02/13/24	FRAZER'S MOBILE HOME PARK Lot Rent - Resident Aid RIN.21424.VM	11-7-106-90.04 Exp. - ARN Res.	431.00	227688	02/16/24
GALLS	02/01/24	GALLS, LLC Police - Ski Mask 026966542	11-7-201-15.00 Police-Uniforms and Clean	33.21	227689	02/16/24
GALLS	02/05/24	GALLS, LLC Police - Knit Cap 026999249	11-7-201-15.00 Police-Uniforms and Clean	26.39	227689	02/16/24
GALLS	02/05/24	GALLS, LLC Police - Gloves 027001577	11-7-201-24.00 Police-Equipment	140.00	227689	02/16/24
GMP	02/07/24	GREEN MOUNTAIN POWER 31348200002 2/07/24 1879FEB24	11-7-303-30.00 1879 Electricity	19.83	227691	02/16/24

Vendor	Invoice Date	Invoice Description	Invoice Number	Account	Amount Paid	Check Number	Check Date
GMP	02/16/24	GREEN MOUNTAIN POWER	18968200008 2/07/24	11-7-206-30.10	3.13	227691	02/16/24
			AVFD.FEB24	Electricity			
GMP	02/16/24	GREEN MOUNTAIN POWER	31168200009 2/07/24	11-7-301-30.00	8.17	227691	02/16/24
			MMHFEB24	Electricity			
GMP	02/12/24	GREEN MOUNTAIN POWER	90947992575 2.06.24	11-7-302-30.10	277.87	227691	02/16/24
			QUARRY.FEB24	Electricity - Perk Villag			
GMP	02/16/24	GREEN MOUNTAIN POWER	80547200008 2/07/24	11-7-207-30.10	5.31	227691	02/16/24
			WWVFD.FEB24	Electricity			
GOLDEN	02/01/24	GOLDEN CROSS AMBULANCE IN	Ambulance Services	11-7-204-45.00	1859.00	227690	02/16/24
			24-1357	Golden Cross Ambulance			
LEAF	02/01/24	LEAF	Copier Lease & Insurance	11-7-101-44.00	349.08	227696	02/16/24
			16001246	GF-Copier Lease			
MES	02/08/24	MUNICIPAL EMERGENCY SERVI	WWVFD - Job Shirts	11-7-207-20.00	1198.02	227699	02/16/24
			IN2004857	Supplies			
MES	02/01/24	MUNICIPAL EMERGENCY SERVI	WWVFD - Job Shirts	11-7-207-20.00	1073.59	227699	02/16/24
			IN999052	Supplies			
NORWI	02/10/24	NORWICH TECHNOLOGIES	January'24 Net Metering	11-7-206-30.10	86.31	227700	02/16/24
			INV-00004426	Electricity			
NORWI	02/10/24	NORWICH TECHNOLOGIES	January'24 Net Metering	11-7-301-30.00	173.77	227700	02/16/24
			INV-00004426	Electricity			
NORWI	02/10/24	NORWICH TECHNOLOGIES	January'24 Net Metering	11-7-303-30.00	33.10	227700	02/16/24
			INV-00004426	1879 Electricity			
NORWI	02/10/24	NORWICH TECHNOLOGIES	January'24 Net Metering	11-7-205-31.10	14.19	227700	02/16/24
			INV-00004426	Fire Hydrant El Service			
NORWI	02/10/24	NORWICH TECHNOLOGIES	January'24 Net Metering	11-7-601-30.00	70.95	227700	02/16/24
			INV-00004426	Library-Utilities			
NORWI	02/10/24	NORWICH TECHNOLOGIES	January'24 Net Metering	11-7-205-31.10	65.04	227700	02/16/24
			INV-00004426	Fire Hydrant El Service			
OREILLY	02/10/24	O'REILLY AUTO PARTS	Police - Cruiser Supplies	11-7-201-52.00	53.97	227701	02/16/24
			5683-391770	Repairs and Supplies			
PITNEY	02/01/24	PITNEY BOWES GLOBAL FINAN	GF - Postage Meter Supply	11-7-101-20.00	91.29	227703	02/16/24
			1415/2	GF-Office Supplies			
PITNEY	02/07/24	PITNEY BOWES GLOBAL FINAN	GF - Postage Meter Lease	11-7-101-21.00	185.79	227703	02/16/24
			3318699996	GF-Postage			
REPATR	02/09/24	MT ASCUTNEY FIRE REPEATER	2024 Dues - Repeater	11-7-206-45.15	1500.00	227698	02/16/24
			16-2024	AVFD-Radio Repeater Fees			
REPATR	02/09/24	MT ASCUTNEY FIRE REPEATER	2024 Dues - Repeater	11-7-207-45.15	1500.00	227698	02/16/24
			16-2024	Radio Repeater Fees			
ROBERTH	02/15/24	ROBERT HALF	001913269 we/2.9.24	11-7-101-43.50	61.95	227705	02/16/24
			63214101	GF-Consultants			
ROBERTSL	02/07/24	LOUISE ROBERTS	MMH Deposit Return	11-2-010-40.00	100.00	227697	02/16/24
			020724	MMH Deposits Payable			
RYMES	02/01/24	SUPERIOR PLUS PROPANE	WWVFD - Heating Fuel	11-7-207-32.00	489.41	227710	02/16/24
			18093213	Fuel Oil/Propane			
SECUR	02/07/24	SECURSHRED	Empty Shred Bin	11-7-101-20.00	24.00	227708	02/16/24
			448367	GF-Office Supplies			
SHERMANJ	02/13/24	JESSICA SHERMAN	MMH Rental Deposit Return	11-2-010-40.00	10.00	227695	02/16/24
			REIM2.14.24	MMH Deposits Payable			
SHERWIN	02/01/24	THE SHERWIN-WILLIAMS CO.,	Supplies - WWVFD	11-7-207-60.00	39.98	227711	02/16/24
			5769-8	Repairs - non-Vehicle			

02/16/24
08:46 am

Town of Weathersfield Accounts Payable
Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (General Fund)
For Check Acct 1(General Fund) All check #s 02/16/24 To 02/20/24

Page 4 of 4
payroll

Vendor	Invoice Date	Invoice Description	Account	Amount Paid	Check Number	Check Date
SHERWIN	02/06/24	THE SHERWIN-WILLIAMS CO., Supplies - WWVFD 5852-2	11-7-207-60.00 Repairs - non-Vechicle	110.48	227711	02/16/24
SHERWIN	02/07/24	THE SHERWIN-WILLIAMS CO., Supply CREDIT - WWVFD 5876-1	11-7-207-60.00 Repairs - non-Vechicle	-34.17	227711	02/16/24
SPAULDIND	02/01/24	SPAULDING, DARRIN R. Nov-Jan Plowing AVFD 885133	11-7-206-60.10 Repairs - Vehicles	375.00	227709	02/16/24
SWEET	02/07/24	SCOTT SWEET Refund Hall Rent Deposit 020724	11-2-010-40.00 MMH Deposits Payable	100.00	227707	02/16/24
TJ PROPER	02/06/24	TJ PROPERTY MANAGEMENT LL LABOR - Painting 6895	11-7-206-20.00 Supplies	2000.00	227712	02/16/24
TJ PROPER	02/06/24	TJ PROPERTY MANAGEMENT LL LABOR - Carpet & Tile 6896	11-7-206-20.00 Supplies	2000.00	227712	02/16/24
TJ PROPER	02/13/24	TJ PROPERTY MANAGEMENT LL LABOR - Cabinets 6897	11-7-206-20.00 Supplies	1040.00	227712	02/16/24
TJ PROPER	02/13/24	TJ PROPERTY MANAGEMENT LL LABOR - Camera System 6898	11-7-206-20.00 Supplies	1895.00	227712	02/16/24
VTAGHUMAN	02/08/24	OFFICE OF CHILD SUPPORT Payroll Transfer PR-02/08/24	11-2-011-07.00 Garnishments	139.40	227702	02/16/24
VTAGHUMAN	02/15/24	OFFICE OF CHILD SUPPORT Payroll Transfer PR-02/15/24	11-2-011-07.00 Garnishments	139.40	227702	02/16/24
VTEL	02/05/24	VTEL Private Network - FEB 7626700/2	11-7-303-31.00 1879 Telephone & Internet	50.00	227713	02/16/24
WBMASON	02/08/24	WB MASON CO INC Bottled Water and Rents IS1637732	11-7-101-20.00 GF-Office Supplies	77.55	227714	02/16/24
Report Total				----- 28066.26 =====		

Vendor	Invoice Date	Invoice Description	Invoice Number	Account	Amount Paid	Check Number	Check Date
AIRGAS	02/01/24	Oxygen Rental HWY	5505256713	12-7-101-52.00 Repairs & Supplies	7.44	227663	02/16/24
AWSI	02/08/24	HWY - DOT follow up	606551	12-7-101-27.00 Training and Conferences	60.00	227666	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	1511.95	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	2201.33	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	783.39	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	1566.78	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	783.39	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	783.39	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	2201.33	227670	02/16/24
BCBS VLCT	02/02/24	MAR 24 Premiums	177031120	12-7-101-14.10 HWY-Insurance Benefits	783.39	227670	02/16/24
BEARSED	02/14/24	Reimbursement - Boots	BOOTS2024	12-7-101-20.10 PPE	184.99	227667	02/16/24
BIBENS	02/08/24	SKU 8309627 - HWY	553023	12-7-101-52.00 Repairs & Supplies	6.99	227669	02/16/24
BIBENS	02/08/24	Package Express - HWY	553033	12-7-101-52.00 Repairs & Supplies	29.73	227669	02/16/24
BRENNTA	11/21/23	HWY - Drum Return	BLN23-213353	12-7-101-52.00 Repairs & Supplies	-20.00	227671	02/16/24
BRENNTA	11/28/23	HWY - Drum Return	BLN23-439767	12-7-101-52.00 Repairs & Supplies	-20.00	227671	02/16/24
BRENNTA	11/21/23	HWY - Def Diesel Exhaust	BLN23-442446	12-7-101-52.00 Repairs & Supplies	346.73	227671	02/16/24
BRENNTA	02/06/24	HWY - Drum Return	BLN24-494025	12-7-101-52.00 Repairs & Supplies	-20.00	227671	02/16/24
BRENNTA	02/06/24	HWY - Def Diesel Exhaust	BLN24-494245	12-7-101-52.00 Repairs & Supplies	273.15	227671	02/16/24
BRENNTA	02/13/24	HWY - Drum Return	BLN24-499373	12-7-101-52.00 Repairs & Supplies	-20.00	227671	02/16/24
CARGILL	02/01/24	Deicer/Salt - HWY	2908998441	12-7-101-58.15 Salt	1947.04	227674	02/16/24
CARGILL	02/01/24	Deicer/Salt - HWY	2909003296	12-7-101-58.15 Salt	1875.66	227674	02/16/24
CARGILL	02/01/24	Deicer/Salt - HWY	2909023099	12-7-101-58.15 Salt	1830.08	227674	02/16/24
CARGILL	02/01/24	Deicer/Salt - HWY	2909064684	12-7-101-58.15 Salt	1931.56	227674	02/16/24
CINTAS	02/01/24	HWY - Uniforms	01.17.24	12-7-101-15.20 HWY-Uniforms & Cleaning	121.62	227676	02/16/24
CINTAS	02/07/24	HWY - Uniforms	4182587763	12-7-101-15.20 HWY-Uniforms & Cleaning	116.74	227676	02/16/24

02/16/24
08:46 am

Town of Weathersfield Accounts Payable
Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (Highway Fund)
For Check Acct 1(General Fund) All check #s 02/16/24 To 02/20/24

Page 2 of 3
payroll

Vendor	Invoice Date	Invoice Description	Account	Amount Paid	Check Number	Check Date
COMINTHWY	02/08/24	COMCAST - 877350144010829 Internet 2/15-3/14 0108293/FEB	12-7-101-31.00 Telephone & Internet	217.29	227677	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	12-7-101-14.10 HWY-Insurance Benefits	4.61	227686	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	12-7-101-14.10 HWY-Insurance Benefits	43.46	227686	02/16/24
EYEMED	02/09/24	FIDELITY SECURITY LIFE IN FEB 2024 Premiums 166144828	12-7-101-14.10 HWY-Insurance Benefits	12.76	227686	02/16/24
FAIRFIELD	02/05/24	HOWARD P. FAIRFIELD, LLC Tailgate Assembly 8875885	12-7-101-52.00 Repairs & Supplies	114.68	227693	02/16/24
FAIRFIELD	02/14/24	HOWARD P. FAIRFIELD, LLC Tailgate Assembly 8886652	12-7-101-52.00 Repairs & Supplies	-99.40	227693	02/16/24
GMP	02/16/24	GREEN MOUNTAIN POWER 7932200006 2/07/27 HWY.FEB24	12-7-101-30.00 Electricity	9.18	227691	02/16/24
HERITAGEE	02/07/24	HERITAGE ENGINEERING P.C. Planning and Engineering 2012223	12-7-208-16.22 Perkins Hill - Design	636.66	227692	02/16/24
HERITAGEE	02/07/24	HERITAGE ENGINEERING P.C. Planning and Engineering 2012223	12-7-208-20.22 Wellwood Orch Rd -Design	636.67	227692	02/16/24
HERITAGEE	02/07/24	HERITAGE ENGINEERING P.C. Planning and Engineering 2012223	12-7-208-21.22 Skyline Drive - Design	636.67	227692	02/16/24
NORWI	02/10/24	NORWICH TECHNOLOGIES January'24 Net Metering INV-00004426	12-7-101-30.00 Electricity	102.87	227700	02/16/24
OREILLY	02/15/24	O'REILLY AUTO PARTS Mini Lamp - HWY 5683-392208	12-7-101-52.00 Repairs & Supplies	10.95	227701	02/16/24
S.G.REED	02/05/24	REED TRUCK SERVICES INC 2016 Western Star 4700 12116	12-7-101-52.00 Repairs & Supplies	515.91	227704	02/16/24
S.G.REED	02/15/24	REED TRUCK SERVICES INC HWY - Parts 24847	12-7-101-52.00 Repairs & Supplies	61.31	227704	02/16/24
SANEL	02/01/24	SANEL NAPA SPRINGFIELD Ice Blade - HWY 429884	12-7-101-52.00 Repairs & Supplies	39.95	227706	02/16/24
SANEL	02/15/24	SANEL NAPA SPRINGFIELD Hub Cap - HWY 430941	12-7-101-52.00 Repairs & Supplies	35.29	227706	02/16/24

02/16/24
08:46 am

Town of Weathersfield Accounts Payable
Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (Highway Fund)
For Check Acct 1(General Fund) All check #s 02/16/24 To 02/20/24

Page 3 of 3
payroll

Vendor	Invoice Date	Invoice Description Invoice Number	Account	Amount Paid	Check Number	Check Date
-----				-----		
		Report Total		22245.54		
				=====		

02/16/24
08:46 am

Town of Weathersfield Accounts Payable
Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (Special Revenue)
For Check Acct 1 (General Fund) All check #s 02/16/24 To 02/20/24

Page 1 of 1
payroll

Vendor	Invoice Date	Invoice Description	Account	Amount Paid	Check Number	Check Date
EAST	02/09/24	EASTERN METAL OF ELMIRA Signs FY24 Pacif Grant 89235	15-7-208-01.00 GF-VLCT-PACIF Grant	411.36	227685	02/16/24
HERITAGEE	02/07/24	HERITAGE ENGINEERING P.C. Planning and Engineering 2012223	15-7-208-16.22 PH Dsgn BC2156 90%	1915.00	227692	02/16/24
HERITAGEE	02/07/24	HERITAGE ENGINEERING P.C. Planning and Engineering 2012223	15-7-208-20.22 WO Dsgn BC2156 90%	2975.00	227692	02/16/24
HERITAGEE	02/07/24	HERITAGE ENGINEERING P.C. Planning and Engineering 2012223	15-7-208-21.22 SD Dsgn BC2156 90%	2625.00	227692	02/16/24
Report Total				7926.36		

02/16/24

Town of Weathersfield Accounts Payable

Page 1 of 1

08:46 am

Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (FEMA Fund)

payroll

For Check Acct 1(General Fund) All check #s 02/16/24 To 02/20/24

Vendor	Invoice Date	Invoice Description Invoice Number	Account	Amount Paid	Check Number	Check Date
DANIELSCO	02/01/24	Temp Bridge Final Pymt 61244	17-7-710-55.00 ABRB - Temp. Bridge	69500.00	227684	02/16/24
DANIELSCO	02/01/24	Temp Bridge Rent - Feb'24 61245	17-7-710-55.00 ABRB - Temp. Bridge	1500.00	227684	02/16/24
Report Total				71000.00		

02/16/24
08:46 am

Town of Weathersfield Accounts Payable
Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (Solid Waste)
For Check Acct 1(General Fund) All check #s 02/16/24 To 02/20/24

Vendor	Invoice Date	Invoice Description	Account	Amount Paid	Check Number	Check Date
AGRI	02/01/24	Xfer-Tote and Svc Fees	21-7-102-45.06	239.48	227662	02/16/24
		30352	Recycling - Compost			
BESTSEPTI	02/01/24	XFR - Toilet Rental Feb	21-7-101-45.00	140.00	227668	02/16/24
		45007	Rental - Port-a-Potty			
COMPETIT	02/01/24	Managed Services-February	21-7-101-25.05	116.18	227675	02/16/24
		CW-58449	IT Services - CCI			
EYEMED	02/09/24	FEB 2024 Premiums	21-7-101-14.10	4.61	227686	02/16/24
		166144828	Insurance Benefits			
GMP	02/16/24	70547200009 2/07/24	21-7-101-30.00	97.09	227691	02/16/24
		XFERFEB24	Electricity			
NORWI	02/10/24	January'24 Net Metering	21-7-101-30.00	57.93	227700	02/16/24
		INV-00004426	Electricity			
Report Total				655.29		

02/16/24
08:46 am

Town of Weathersfield Accounts Payable
Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (Reserves)
For Check Acct 1 (General Fund) All check #s 02/16/24 To 02/20/24

Page 1 of 1
payroll

Vendor	Invoice Date	Invoice Description Invoice Number	Account	Amount Paid	Check Number	Check Date
DINGEE	02/12/24	DINGEE MACHINE CO. AVFD Tanker Final Pymt 9381	41-7-410-07.15 Expense - Fire App.	55000.00	227682	02/16/24
Report Total				55000.00		

02/16/24

Town of Weathersfield Accounts Payable

08:46 am

Check Warrant Report # 24099 Current Prior Next FY Invoices For Fund (Capital Assets)

payroll

For Check Acct 1 (General Fund) All check #s 02/16/24 To 02/20/24

Vendor	Invoice Date	Invoice Description	Account	Amount Paid	Check Number	Check Date
DINGEE	02/12/24	AVFD Tanker Final Pymt 9381	99-1-040-04.00 Fire Fighting Department	92341.00	227682	02/16/24
Report Total				92341.00		

02/16/24
10:48 am

Town of Weathersfield Payroll
Check Warrant Report #24084
Check date 02/01/24 to 02/01/24 Departments 111 to 111

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
BALLAM	BALLAM, MARION J.	E	17205	02/01/24	0.00	480.12
BUCCELLAT	BUCCELLATO, SIERRA R.	E	17207	02/01/24	0.00	774.26
DANGOF	DANGO, FLORA ANN	E	17209	02/01/24	0.00	848.39
DANIELSWI	DANIELS, WILLIAM J.	E	17210	02/01/24	0.00	1501.19
DIPIETRO	DIPIETRO, ALICIA	E	17211	02/01/24	0.00	142.40
GRAHAMJ	GRAHAM, JOHN J.	E	17213	02/01/24	0.00	209.75
GULNICKB	GULNICK, BRANDON W.	E	17214	02/01/24	0.00	1178.48
HIERCA	HIER, CAROLYN A.	E	17215	02/01/24	0.00	56.82
HIERS	HIER, STEVE A.	E	17216	02/01/24	0.00	461.31
SAVAGE	SAVAGE, OLIVIA I.	E	17222	02/01/24	0.00	406.25
SMITH	SMITH, STEVEN		48274	02/01/24	203.97	0.00
TERRILL	TERRILL, SUSANNE	E	17224	02/01/24	0.00	951.25
THOMASB	THOMAS, BARBARA A.	E	17225	02/01/24	0.00	170.14
					-----	-----
					203.97	7180.36
					=====	=====

***7,384.33

02/16/24
10:49 am

Town of Weathersfield Payroll
Check warrant report #24088 for department:111
Check date 02/08/24 to 02/08/24 Departments 111 to 111

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
BALLAM	BALLAM, MARION J.	E	17228	02/08/24	0.00	474.33
BUCCELLAT	BUCCELLATO, SIERRA R.	E	17230	02/08/24	0.00	929.42
DANGOF	DANGO, FLORA ANN	E	17232	02/08/24	0.00	848.39
DANIELSWI	DANIELS, WILLIAM J.	E	17233	02/08/24	0.00	1283.49
DIPIETRO	DIPIETRO, ALICIA	E	17234	02/08/24	0.00	142.40
GAGNON	GAGNON, NICHOLE	E	17236	02/08/24	0.00	381.16
GRAHAMJ	GRAHAM, JOHN J.	E	17237	02/08/24	0.00	209.75
GULNICKB	GULNICK, BRANDON W.	E	17238	02/08/24	0.00	1178.48
HIERCA	HIER, CAROLYN A.	E	17239	02/08/24	0.00	46.84
HIERS	HIER, STEVE A.	E	17240	02/08/24	0.00	461.31
SAVAGE	SAVAGE, OLIVIA I.	E	17246	02/08/24	0.00	449.08
SMITH	SMITH, STEVEN		48275	02/08/24	203.97	0.00
TERRILL	TERRILL, SUSANNE	E	17248	02/08/24	0.00	951.25
THOMASB	THOMAS, BARBARA A.	E	17249	02/08/24	0.00	132.45
					-----	-----
					203.97	7488.35
					=====	=====

***7,692.32

02/16/24
10:50 am

Town of Weathersfield Payroll
Check warrant report #24092 for department:111
Check date 02/15/24 to 02/15/24 Departments 111 to 111

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
BALLAM	BALLAM, MARION J.	E	17252	02/15/24	0.00	457.18
BUCCELLAT	BUCCELLATO, SIERRA R.	E	17254	02/15/24	0.00	911.75
DANGOF	DANGO, FLORA ANN	E	17256	02/15/24	0.00	848.39
DANIELSWI	DANIELS, WILLIAM J.	E	17257	02/15/24	0.00	1102.06
DIPIETRO	DIPIETRO, ALICIA	E	17258	02/15/24	0.00	142.40
ESTYJOSH	ESTY, JOSHUA W.	E	17260	02/15/24	0.00	114.45
FULLER	FULLER, DAVID T.		48276	02/15/24	443.82	0.00
GRAHAMJ	GRAHAM, JOHN J.	E	17261	02/15/24	0.00	388.50
GULNICKB	GULNICK, BRANDON W.	E	17262	02/15/24	0.00	1178.48
HIERCA	HIER, CAROLYN A.	E	17263	02/15/24	0.00	45.98
HIERS	HIER, STEVE A.	E	17264	02/15/24	0.00	461.31
MURRAY	MURRAY, AUGUST		48277	02/15/24	175.11	0.00
O'BRIEN	O'BRIEN, KELLY U.		48278	02/15/24	457.10	0.00
SAVAGE	SAVAGE, OLIVIA I.	E	17270	02/15/24	0.00	506.07
SMITH	SMITH, STEVEN		48279	02/15/24	203.97	0.00
SMITHW	SMITH, WENDY		48280	02/15/24	428.16	0.00
TERRILL	TERRILL, SUSANNE	E	17272	02/15/24	0.00	951.25
THOMASB	THOMAS, BARBARA A.	E	17273	02/15/24	0.00	201.54
TILLMANP	TILLMAN, PAUL L.	E	17274	02/15/24	0.00	284.64
TODDM	TODD, MICHAEL A.		48281	02/15/24	461.75	0.00
					-----	-----
					2169.91	7594.00
					=====	=====

***9,763.91

02/16/24
10:48 am

Town of Weathersfield Payroll
Check warrant report #24085 for department:121
Check date 02/01/24 to 02/01/24 Departments 121 to 121

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
BEARSED	BEARSE, DAVID E.	E	17206	02/01/24	0.00	1123.66
ESTYJO	ESTY, JOHN W.	E	17212	02/01/24	0.00	1324.55
LONGTIN	LONGTIN, ALEXANDER J.	E	17217	02/01/24	0.00	885.25
MCCLURE	MCCLURE, EVAN	E	17218	02/01/24	0.00	1187.91
MOORER	MOORE, RAY A.	E	17219	02/01/24	0.00	1167.57
STAPLETON	STAPLETON, RAY E.	E	17223	02/01/24	0.00	877.95
					-----	-----
					0.00	6566.89
					=====	=====

***6,566.89

02/16/24
10:49 am

Town of Weathersfield Payroll
Check warrant report #24089 for department:121
Check date 02/08/24 to 02/08/24 Departments 121 to 121

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
BEARSED	BEARSE, DAVID E.	E	17229	02/08/24	0.00	824.83
ESTYJO	ESTY, JOHN W.	E	17235	02/08/24	0.00	955.62
LONGTIN	LONGTIN, ALEXANDER J.	E	17241	02/08/24	0.00	668.46
MCCLURE	MCCLURE, EVAN	E	17242	02/08/24	0.00	847.84
MOORER	MOORE, RAY A.	E	17243	02/08/24	0.00	839.57
STAPLETON	STAPLETON, RAY E.	E	17247	02/08/24	0.00	877.95
					-----	-----
					0.00	5014.27
					=====	=====

***5,014.27

02/16/24
10:50 am

Town of Weathersfield Payroll
Check warrant report #24093 for department:121
Check date 02/15/24 to 02/15/24 Departments 121 to 121

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
BEARSED	BEARSE, DAVID E.	E	17253	02/15/24	0.00	758.53
ESTYJO	ESTY, JOHN W.	E	17259	02/15/24	0.00	872.15
LONGTIN	LONGTIN, ALEXANDER J.	E	17265	02/15/24	0.00	543.31
MCCLURE	MCCLURE, EVAN	E	17266	02/15/24	0.00	776.67
MOORER	MOORE, RAY A.	E	17267	02/15/24	0.00	776.02
STAPLETON	STAPLETON, RAY E.	E	17271	02/15/24	0.00	877.95
					-----	-----
					0.00	4604.63
					=====	=====

***4,604.63

02/16/24
10:48 am

Town of Weathersfield Payroll
Check warrant report #24086 for department:131
Check date 02/01/24 to 02/01/24 Departments 131 to 131

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
COLEMAN	COLEMAN, GLENNA J.	E	17208	02/01/24	0.00	169.14
RICHARDMA	RICHARDSON, MARK P.	E	17221	02/01/24	0.00	815.12
TOPOLSKI	TOPOLSKI, JUDITH A.	E	17226	02/01/24	0.00	196.97
					-----	-----
					0.00	1181.23
					=====	=====

***1,181.23

02/16/24
10:50 am

Town of Weathersfield Payroll
Check warrant report #24090 for department:131
Check date 02/08/24 to 02/08/24 Departments 131 to 131

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
COLEMAN	COLEMAN, GLENNA J.	E	17231	02/08/24	0.00	169.14
RICHARDMA	RICHARDSON, MARK P.	E	17245	02/08/24	0.00	815.12
TOPOLSKI	TOPOLSKI, JUDITH A.	E	17250	02/08/24	0.00	196.97
					-----	-----
					0.00	1181.23
					=====	=====

***1,181.23

02/16/24
10:51 am

Town of Weathersfield Payroll
Check warrant report #24094 for department:131
Check date 02/15/24 to 02/15/24 Departments 131 to 131

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
COLEMAN	COLEMAN, GLENNA J.	E	17255	02/15/24	0.00	169.14
RICHARDMA	RICHARDSON, MARK P.	E	17269	02/15/24	0.00	815.12
TOPOLSKI	TOPOLSKI, JUDITH A.	E	17275	02/15/24	0.00	196.97
					-----	-----
					0.00	1181.23
					=====	=====

***1,181.23

02/16/24
10:49 am

Town of Weathersfield Payroll
Check warrant report #24087 for department:211
Check date 02/01/24 to 02/01/24 Departments 211 to 211

Page 1 of 1
payroll

Employee Number	Employee Name	Check Number	Check Date	Net Amount	Elec Amount
PICKNELL	PICKNELL, DAVID H.	E 17220	02/01/24	0.00	377.32
WATERST	WATERS, TYLER M.	E 17227	02/01/24	0.00	573.16
				----- 0.00	----- 950.48
				=====	=====

*****950.48

02/16/24
10:50 am

Town of Weathersfield Payroll
Check warrant report #24091 for department:211
Check date 02/08/24 to 02/08/24 Departments 211 to 211

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
PICKNELL	PICKNELL, DAVID H.	E	17244	02/08/24	0.00	382.46
WATERST	WATERS, TYLER M.	E	17251	02/08/24	0.00	573.16
					-----	-----
					0.00	955.62
					=====	=====

*****955.62

02/16/24
10:51 am

Town of Weathersfield Payroll
Check warrant report #24095 for department:211
Check date 02/15/24 to 02/15/24 Departments 211 to 211

Page 1 of 1
payroll

Employee Number	Employee Name		Check Number	Check Date	Net Amount	Elec Amount
PICKNELL	PICKNELL, DAVID H.	E	17268	02/15/24	0.00	378.47
WATERST	WATERS, TYLER M.	E	17276	02/15/24	0.00	576.46
					-----	-----
					0.00	954.93
					=====	=====

*****954.93